

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety Administration

PSU 72

CASE NO. 082A

TYPE OF ACCIDENT One Car/Rt. Roadside Departure

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

Vehicle #1 was northbound on a 4 lane expressway exit ramp in the 3rd lane. Vehicle #1 departed the roadway to the right and sideswiped a concrete wall with the right side of vehicle #1 . Vehicle #1 then sideswiped a steel guard rail with the left side of vehicle #1. Vehicle #1 continued on and struck head-on, a concrete Hwy sign support base. Vehicle #1 was towed from the scene. All 4 cupants of vehicle #1 were transported to the hospital. The driver and front right seat passenger of vehicle #1 were fatally injured.

	B. VEHICLE PROFILE(S)							
	Class			re Damage icle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Severity Description	Component Failure			
01	Compact	94/Ford/Mustang	Front	Severe	None			

DO NOT SANITIZE THIS FORM

	C. PERSON PROFILE(S)							
Vehicle		Seat	Restraint		Most S (TO BE COMPLET	evere ED BY	Injury ZONE CENTER)	
No.	Role	Position	Use	Body Region	Injury Type	AIS	Injury Source	
01	Driver	Front Lt.	Airbag deployed no 3 pt. manual belt used		FRACTURE	3	INSTRUMENT PANEZ	
01	Passenger	Front Rt.	Airbag deployed no 3 pt. manual belt used		FRACTURE	2	INSTRUMENT PANEL	
01	Passenger	Rear Lt.	No Manual 3 pt. belt used & no child safety seat used	Injured severity un	known			
01	Passenger	Rear Rt.	No Manual 3 Pt. belt used	ABdonEx	LACERATION	2	SEATBACK	
						·		

Body Region

Abdomen Ankle-foot Arm (upper)

Back-thoracolumbar spine

Chest
Ears
Eye
Elbow
Face
Forearm
Head — skull

Brain

Heart
Kidneys
Knee
Leg (lower)
Liver

Lower limbs(s) (whole or unknown part)

Mouth

Neck-cervical spine

Nose

Pelvic -- hip

Pulmonary-lungs

Shoulder Spleen Thigh

Thyroid, other endocrine gland Upper limb(s) (whole or unknown

part) Vertebrae Whole body Wrist-hand

Injury Type

Abrasion
Amputation
Avulsion
Burn
Concussion
Contusion
Crush

Detachment, separation

Dislocation

Fracture

Fracture and dislocation

Laceration Other

Perforation, puncture

Rupture Sprain Strain

Total severance, transection

Unknown

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

DO NOT SANITIZE THIS FORM



HS Form 431B (1/94)

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate Case Number-Stratum <u>882A</u> concrete Foundarion 4 event #2 grad rail

Virgheel grad rail

event #1

event #1

event #1

event #1 TRACKS IN GARSH

Scale: 1 centimeter =

National Highway Traffic Safety Administration

ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number _/_	_

tratum

mary Sampling Unit Number		Case Number—St
ACCIDENT C	OLLISION DIAGRAM	

To be accomplished when there is no physical evidence present at the scene:

 approximate vehicle orientation at impact and final rest

LEVEL I PHYSICAL EVIDENCE ABSENT

- * applicable road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, etc.)
- * applicable traffic controls (e.g., speed
- * north arrow placed on diagram
- sketch required

HS Form 431A (1/94)

LEVEL II PHYSICAL EVIDENCE PRESENT

In addition to the level I tasks noted above, the following must be accomplished when

LEVEL II (Cont'd) physical evidence is present:

- * document reference point and reference line relative to physical features present at the scene
- scaled documentation of all accident induced physical evidence
- scaled documentation of all roadside objects contacted.
- roadway surface type and condition of applicable roadways
- grade measurements for all applicable roadways and at location of rollover
- scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either:

a) physical evidence, or

b) reconstructed accident dynamics

CRASH DATA

VEH. #1 VEH. #2 VEH. #3

Heading Angle

Surface Condition

Grade (v/h) Measurement (between impact and final rest)

Grade (v/h) Measuremer (at location rollover initia

" NA	
of Tation)	

Reference Point:	919N	Support	Post .	
				_

Reference line: EAST Curb edge @ 100 5it

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
Rt. Frut Curb scuff	50,05	0.0
Left Frant Curb scuff	40,55	Q. O
begin impact w/gardrail (back)	4.25	0.8E
end in pact w/gardrail (back)	0,0	0.8E
At WAllimpilet #1	1455	4.6€
end wall; mpact #1	10,55	4.0 E
At WAll impact # 2	3,05	2.66
and WALL ampach #2	2.15	2.46
STRUCK SIGN SOMORT Concrete bage	Q,Q	0.8 to 1.5E (
Oil GPILL Ox FRP		0,502,5E
John Com Id		
de and washing wife wife 10 115		
R. Bolyman olypic:		

Item	Distance and Direction from Reference Point	Distance and Direction' from Reference Line
	,	

National Highway Traffic Safety Administration

ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

08 2 A

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

01

4. Date of Accident (Month, Day, Year)



5. Time of Accident

0221

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (/) each special study (SS14-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

C

7. ___SS16 Pedestrian Crash Data Study

 \bigcirc

8. ___SS17 Impact Fires

0

9. SS18 _____

0

10. ___SS19 _



NUMBER OF EVENTS

11. Number of Recorded Events in This Accident



Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object on the right.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13.01	14. 02	15.	16. <u>58</u>	17. 00	180
19. <u>0 2</u>	20.	21. <u>02</u>	22. <u>K</u> F	23. <u>56</u>	24. <u>Ø</u> Ø	25.
7 ²⁶ . <u>0</u> <u>3</u>	27. 0	28. <u>02</u>	29.	30. <u>58</u>	31. 💇 🙋	32.
33. 0 4	34. 0	35. <u>Q Z</u>	36. <u>F</u>	37. <u>68</u>	зв. <u>Ø</u> <u>Ø</u>	39.
40. <u>0</u> <u>5</u>	41	42	43	44	45	46

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (O2) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type
- (20) School bus
- (21) Other bus
- (22) Truck (> 4,500 kgs GVWR)
- (23) Tractor without trailer
- (24) Tractor-trailer(s)
- (25) Motored cycle
- (28) Other vehicle
- (99) Unknown

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE AND

OTHER VEHICLES

- (0) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back
- (T) Top
- (U) Undercarriage
- (9) Unknown

TDC APPLICABLE **VEHICLES**

- (0) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back of unit with cargo area (rear of trailer or straight truck)
- (D) Back (rear of tractor)
- (C) Rear of cab
- (V) Front of cargo area
- (T) Top
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

(01-30) - Vehicle Number

Noncollision

- (31) Overturn rollover
- (32) Fire or explosion
- (33) Jackknife
- (34) Other intraunit damage (specify):
- (35) Noncollision injury
- (38) Other noncollision (specify):
- (39) Noncollision details unknown

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment
- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but \leq 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)
- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic parrier (Includes galardrail)

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge

(68) Other fixed object (specify); HWY 5/5N CONCRETE

(69) Uhknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (72) Pedestrian
- (73) Cyclist or cycle
- (74) Other nonmotorist or conveyance
- (75) Vehicle occupant
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify):
- (89) Unknown nonfixed object
- (98) Other event (specify):
- (99) Unknown event or object

Page 2

National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

	OCCUPANT RELATED	24. Rollover
16.	Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown	(0) No rollover (no overturning) **Rollover (primarily about the longitudinal axis)* (1) Rollover, 1 quarter turn only
17.	Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle (97) 97 or more (99) Unknown	(2) Rollover, 2 quarter turns (3) Rollover, 3 quarter turns (4) Rollover, 4 or more quarter turns (specify):
18.	Number of Occupant Forms Submitted	about the lateral axis) (9) Rollover (overturn), details unknown
	VEHICLE WEIGHT ITEMS	OVERRIDE/UNDERRIDE (THIS VEHICLE)
19.	Vehicle Curb Weight Q(2) Code weight to nearest Vehicle Curb Weight	25. Front Override/Underride (this Vehicle)
12	10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more	26. Rear Override/Underride (this Vehicle)
	(999) Unknown $\frac{3.055}{100}$ lbs x .4536 = $\frac{1380}{100}$ kgs	(0) No override/underride, or not an end-to-end impact
	Source: 94	Override (see specific CDC) (1) 1st CDC
20.	Vehicle Cargo Weight Q 0 0	(2) 2nd CDC (3) Other not automated CDC (specify):
	Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more	Underride (see specific CDC) (4) 1st CDC
	(999) Unknown, lbs X .4536 =, Q kgs	(5) 2nd CDC (6) Other not automated CDC (specify):
	RECONSTRUCTION DATA	
21.	Towed Trailing Unit	(7) Medium/heavy truck or bus override(9) Unknown
	(0) No towed unit (1) Yes—towed trailing unit (9) Unknown	HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V
	Documentation of Trajectory Data for This Vehicle (0) No (1) Yes	Values: (000)-(359) Code actual value (997) Noncollision (998) Impact with object (999) Unknown
23.	Post Collision Condition of Tree or Pole (For Highest Delta V)	27. Heading Angle For This Vehicle $\frac{9}{6}$
	(0) Not collision (for highest delta V) with tree or pole (1) Not damaged (2) Cracked/sheared (3) Tilted <45 degrees (4) Tilted ≥45 degrees (5) Uprooted tree (6) Separated pole from base (7) Pole replaced (8) Other (specify):	28. Heading Angle For Other Vehicle
	(9) Unknown	

	Contigur-	ACCIDENT TYPES (Inclu	udes Intent)		
	A Right Roadside Departure	DMIAE OLD	VOID COLLISION	04 SPECIFICS OTHER	06 SPECIFICS UNKNOWN
Single Driver	B Left Roadside Departure	OB CONTROL	VOID COLLISION	GB SPECIFICS OTHER	10 SPECIFICS UNKNOWN
-	C Forward Impact	PARKED VEN. STA. OBJECT PEDESTRIAN/ANIMAL	END DEPARTURE	15 SPECIFICS OTHER	16 SPECIFICS UNKNOWN
	D Rear-End		28 30 	(EACH • 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN
	E Forward Impact	CONTROL/ TRACTION LOSS TRACTION LOSS WITH VEH.		41 ISION SPECIFIC	42) (EACH + 4) 8 SPECIFICS UNKNOWN
1	F Sideswipe Angle	4 46 46	(EACH · 48) SPECIFICS OTHER	•	H • 49) FICS UNKNOWN
uon K	G Head-On	50 51 (EACH • 52) SPECIFICS OTHER	(EACH + 63) SPECIFICS UNKNOW	WN	
Same Trafficway Opposite Difection	H Forward Impact	CONTROL/ TRACTION LOSS TRACTION LOSS WITH VEH		→ 61 IBION SPECIFIC	• 62)(EACH • 6 :s specifics unknown
S ==	l Sideswiper Angle	(EACH • 66) SPECIFICS LATERAL MOVE OTHER	(EACH • 67) SPECIFICS UNKNO		
Change Trafficway Vehick Turning	J. Turn Across Path	INITIAL OPPOSITE INITIAL SAME DIRECTIONS	72 ONE	EPECIFICATION OTHER	74) (EACH + 78 B SPECIFICS UNKNOWN
IV. Change Trafficw Vehick Turning	K. Turn Into Path	TURN INTO SAME DIRECTION TURN INTO	81 ES	87ECIPIC	84) (EACH • 8 8 SPECIFICS UNKNOWN
V Intersecting Paths (Vehicle Damage)	L. Straight Paths	- F7	(EACH = 90) SPECIFICS OTHER	(EACH • SPECIFIC	91) B UNKNOWN
VI Miscel lancous	M. Backing Etc.	92 93 OTHER VEH. OR OBJECT BACKING VEH.	96 Other Accidence of Unknown Accidence of the Unknown Accidence of the University o	dent Type Accident Type	

OTHER DATA

56.	Drive	er's	Zip	Code

(00000) Driver not present

(00001) Driver not a resident of U.S. or territories

Code actual 5-digit zip code

(99999) Unknown

57. Driver's Race/Ethnic Origin

- (0) Driver not present
- (1) White (non-Hispanic)
- (2) Black (non-Hispanic)
- (3) White (Hispanic)
- (4) Black (Hispanic)
- (5) American Indian, Eskimo or Aleut
- (6) Asian or Pacific Islander
- (8) Other (specify):
- (9) Unknown

58. Vehicle Special Use (This Trip)

- (0) No special use
- (1) Taxi
- (2) Vehicle used as school bus
- (3) Vehicle used as other bus
- (4) Military
- (5) Police
- (6) Ambulance
- (7) Fire truck or car
- (8) Other (specify):
- (9) Unknown

ROLLOVER DATA

If GV07 (Body Type) \neq 1-49, leave GV59-GV63 blank.

If GV24 (Rollover) = 0, then GV59-GV63 must equal 0.

If GV24 = 9, then GV59-GV63 must equal 9.

59. Rollover Initiation Type

- (0) No rollover
- (1) Trip-over
- (2) Flip-over
- (3) Turn-over
- (4) Climb-over
- (5) Fall-over
- (6) Bounce-over
- (7) Collision with another vehicle
- (8) Other rollover initiation type specify):
- (9) Unknown rollover initiation type

60. Location of Rollover Initiation

- (0) No rollover
- (1) On roadway
- (2) On shoulder-paved
- (3) On shoulder—unpaved
- (4) On roadside or divided trafficway median
- (9) Unknown

61. Rollover Initiation Object Contacted



62. Location on Vehicle Where Initial Principal Tripping Force Is Applied



- (0) No rollover
- (1) Wheels/tires
- (2) Side plane
- (3) End plane
- (4) Undercarriage
- (5) Other location on vehicle (specify):
- (8) Non-contact rollover forces (specify):
- (9) Unknown





- (0) No rollover
- (1) Roll right primarily about the longitudinal axis
- (2) Roll left primarily about the longitudinal axis
- (5) End-over-end (i.e., primarily about the lateral
- (9) Unknown roll direction

PRECRASH DATA

64. Pre-Event Movement (Prior to Recognition of Critical Event)



- (01) Going straight
- (02) Slowing or stopping in traffic lane
- (03) Starting in traffic lane
- (04) Stopped in traffic lane
- (05) Passing or overtaking another vehicle
- (06) Disabled or parked in travel lane
- (07) Leaving a parking position
- (08) Entering a parking position
- (09) Turning right
- (10) Turning left
- (11) Making a U-turn
- (12) Backing up (other than for parking position)
- (13) Negotiating a curve
- (14) Changing lanes
- (15) Merging
- (16) Successful avoidance maneuver to a previous critical event
- (97) Other (specify):
- (98) No driver present
- (99) Unknown





CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover	(57) Fence
(01-30) — Vehicle Number	(58) Wall
(0.00)	(59) Building
Noncollision	(60) Ditch or culvert
(31) Turn-over — fall-over	(61) Ground
(33) Jackknife	(62) Fire hydrant
(00) Sackline	(63) Curb
Collision With Fixed Object	(64) Bridge
(41) Tree (≤ 10 cm in diameter)	(68) Other fixed object (specify):
(42) Tree (> 10 cm in diameter)	(00) 00000
	(69) Unknown fixed object
(43) Shrubbery or bush	(00) Omarovii inice cajess
(44) Embankment	Collision with Nonfixed Object
(AE) Breekewey note or nost (any diameter)	(71) Motor vehicle not in-transport
(45) Breakaway pole or post (any diameter)	(76) Animal
No de colonia Dala da Dast	(77) Train
Nonbreakaway Pole or Post	(78) Trailer, disconnected in transport
(50) Pole or post (≤ 10 cm in diameter)	(79) Object fell from vehicle in-transport
(51) Pole or post (> 10 cm but \leq 30 cm in	(88) Other nonfixed object (specify):
diameter)	(88) Other homixed object (specify).
(52) Pole or post (> 30 cm in diameter)	(00) Helicour perfixed chiest
(53) Pole or post (diameter unknown)	(89) Unknown nonfixed object
	(OO) Other mant languitule
(54) Concrete traffic barrier	(98) Other event (specify):
(55) Impact attenuator	
(56) Other traffic barrier (includes guardrail)	(99) Unknown event or object
(specify):	

EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

ational	Highway	Traffic	Safety
dminist	ration		

1. Primary Sampling Unit Number 2. Case Number - Stratum

3. Vehicle Number

		• -		 ,	
٠.	10	\sim		 -	
) \	ナー			Model Year	

Vehicle Make (specify):

Vehicle Model (specify): __WUSTA.

LOCATOR

VEHICLE IDENTIFICATION

Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.		Location of Field L
		Pt. Front BC to Rt. North BC
QZ	left Front BC To Left ROAT AXEL	lift Front Be To Loft MAR Axel
<i>@</i> 25	Fruit corner to corner	Frient Comer to Comer

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure and document on the vehicle diagram the location of maximum crush.

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.


Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.

Specific		Direct [Damage			1					
Impact Number	Plane of Impact C-Measurements	Width (CDC)	Max Crush	Field	C ₁	C ₂	C,	C ₄	C ₆	C.	±D
01	R+ Side	310-	FIV	310	/			/ <i>A</i> —		>	0
Q1	Fullspares		40								
01	Resultant		1.12								
	,		* note;			vy di	tuise	eve	17 A	1 2 14	3
02	left Glas	272	* WUK	272	<u>K</u>		- 1/	4 -		<u>├</u>	11/2
02	TREEN PACE		<u> </u>		ļ,		ļ		<u> </u>		
02	resultant	1	-> 1/0+	e Le	KT A	00r 4	DAN.	AWAY	by	nadrai	-1 E
182			1				120	140	1	11/2	
10/3	Frank bruper	75	152	15	13	125	138	143	152	148	0
OB	Treespore		3	 	2	3	100	1.11	2	11/2	<u> </u>
03	Rulfart	-	147		70	121	136	141	147	143	
		<u></u>	+			1	1/1/2	Fr	211		
		<u> </u>			Que	y lin	at C	- Fra	1	ree	
	<u> </u>			+					<u> </u>		-
	<u> </u>	<u> </u>	1	1	<u> </u>	<u> </u>		<u> </u>		<u> </u>	L

ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	1013	inches	x 2.54	=	<u>257</u> cm
Overall Length	181.5	inches	x 2.54	=	<u>46</u> 1_cm
Maximum Width	71.8	inches	x 2.54	=	1 8 2 cm
Curb Weight	3,055	pounds	x .4536	=	1,386 kg
Average Track	_59.8	inches	x 2.54	=	152cm
Front Overhang	_ 40.0	inches	x 2.54	=	102cm
Rear Overhang	_ 39.1	inches	x 2.54	=	99 cm
Undeformed End Width		inches	x 2.54	=	(
Engine Size: cyl./displ.		СС	x .001	=	3.8 L
N. G		CID	x .0164	=	L



CDC WORKSHEET

CODES FOR OBJECT CONTACTED

	CODEDITOR		
(01-30)	- Vehicle Number	(57) (58)	Fence Wall
	•		Building
Noncolli			Ditch or culvert
	Overturn — rollover		Ground
	Fire or explosion		Fire hydrant
	Jackknife (analysis)		Curb
(34)	Other intraunit damage (specify):		Bridge
(35)	Noncollision injury	(68)	and the design of the second o
	Other noncollision (specify):		HWY 719N CONCrete DATE
(50)	Other honounder (opening)	(69)	Unknown fixed object
(39)	Noncollision — details unknown		
		Collisio	n with Nonfixed Object
Collision	n With Fixed Object		Motor vehicle not in-transport
(41)	Tree (≤ 10 cm in diameter)		Pedestrian
(42)	Tree (> 10 cm in diameter)		Cyclist or cycle
	Shrubbery or bush	(74)	Other nonmotorist or conveyance
(44)	Embankment		
			Vehicle occupant
(45)	Breakaway pole or post (any diameter)		Animal
		(77)	Train
Nonbre	akaway Pole or Post	(78)	Trailer, disconnected in transport
(50)	Pole or post (≤ 10 cm in diameter)	(79)	Object fell from vehicle in-transport
(51)	Pole or post (> 10 cm but ≤ 30 cm in diameter)		Other nonfixed object (specify):
(52)	Pole or post (> 30 cm in diameter)	(89)	Unknown nonfixed object
(53)	Pole or post (diameter unknown)	(00)	Other event (specify):
		(96)	Other event (specify).
	Concrete traffic barrier	(00)	Unknown event or object
(55)	Impact attenuator	(33)	Clikilowii event or object
(56)	Other traffic barrier (includes guardrail) (specify):		
	DEFORMATION CLASSIFIC	ATION BY	EVENT NUMBER

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force (degrees)	Incremental Value of Shift	(3) Deformation Location	(4) Specific Longitudinal or Lateral Location	(5) Specific Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
$\overline{\mathbb{Q}}$	<u>58</u>	020		ZF	D	E	5	02
07	500	000		To the second se	BZ	EE	S	QT:
<u>04</u> ——	<u></u>			<u> </u>	_	<u></u>		

etional Accid	ent Sampling S	system-Crash	worthiness Da	ta System: Extension	erior Vehicle F	orm	Page 4
	C	OLLISION	DEFORMA	TION CLAS	SIFICATIO	IV.	
HIGHEST [DELTA "V"						
Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4.04	5. <u>68</u>	6.12	, <u>, F</u>	8.D	9. E	10.	11.05
	ghest Delta "V 13. <u>5</u>		15.2	9 16: <u>D</u> .	17. <u>E</u>	18.5	199
		CRUS	H PROFILE	IN CENTIN	IETERS		
	The crush prof	file for the da opriate space	mage described below. (ALL I	d in the CDC(s)	above should TS ARE IN CE	l be document NTIMETERS.)	ed .
HIGHEST	DELTA "V"			•			
20. 	21. 			C ₄		C ₆	22.
160	070	122	136	141	149	143	<u>+ 000</u>
Second H	ighest Delta "V	111					
23. L	24. 		C ₃		C ₆	C ₆	25. ±D
							<u>+</u>
			Pasaarchar's A		/ 25.05.1	nal Wheelbase	257

26. Are CDCs Documented but Not Coded on The Automated File?

(O) No

(1) Yes

of Vehicle Disposition (0) Not towed due to

- vehicle damage
- (1) Towed due to vehicle damage
- (9) Unknown

Code to the

nearest centimeter

(999) Unknown

101.3 inches X 2.54 = 251 centimeters

		A	
29.	Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? (0) No post manufacturer modifications	(\mathcal{Y})	34. Fuel Tank-1 Location 35. Fuel Tank-2 Location
	(1) Yes - post manufacturer modifications (specify):	•	(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered
	(Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified		(2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side
	(9) Unknown it vehicle is modified	\mathcal{L}	(4) Forward of center of the rear wheels (rear axle) centered
30.	Fire Occurrence (0) No fire	<u>IX</u>	(5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear
	Yes, fire occurred (1) Minor		axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify):
	(2) Major (9) Unknown	•	(9) Unknown
31	. Origin of Fire		3
	(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system	4	36. Fuel Tank-1 Filler Cap Location 37. Fuel Tank-2 Filler Cap Location
	(3) Fuel tank (and other fuel retention system parts)		(0) No fuel tank (1) On back plane
	(4) Engine compartment(5) Cargo/trunk compartment(6) Instrument panel		(2) Aft of center of the rear wheels (rear axle) on left side plane(3) Aft of center of the rear wheels (rear axle) on
	(7) Passenger compartment area(8) Other location (specify):		right side plane (4) Forward of center of the rear wheels (rear
	(9) Unknown		axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle)
ļ	. Type of Fuel Tank-1	1	on left side plane (7) Over the center of the rear wheels (rear axle)
33	Type of Fuel Tank-2 (0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic	4	on right side plane (8) Other (specify): (9) Unknown
	(9) Unknown		38. Fuel Tank-1 Damage
			39. Fuel Tank-2 Damage (0) No fuel tank
			(1) No damage to fuel tank (2) Deformed, no seam failure
			(3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped)
			(6) Abraded (scraped)(7) Filler neck separation from the fuel tank(8) Other damage (specify):
			(9) Unknown
1			į

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED AND WAS NOT AN AOPS *** (I.E., GV09=0 OR 9 AND GV36=0), DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

(98) Other Hybrid (specify):


(99) Unknown fuel type



CUT OUT BY

ntional Highway Traffic Safety	INTERIOR VE	HICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTE CRASHWORTHINESS DATA SYSTE
	77		GLAZING
1. Primary Sampling Unit Number	DQ TX	Glazing Dimage from	
2. Case Number - Stratum	V Z A		17. RF <u>(</u> 018. LR <u>(</u> 019. RR <u>(</u> 0
3. Vehicle Number	<u> </u>	20. BL21. Roof_	5 22. Other 6
INTEGRITY		(0) No glazing damag	
4. Passenger Compartment Integrit (00) No integrity loss Yes, Integrity Was Lost Through (01) Windshield (02) Door (side) (03) Door/hatch (back door) (04) Roof (05) Roof glass	v 98	(2) Glazing in place a (3) Glazing in place a (4) Glazing out-of-pla impact forces (5) Glazing out-of-pla	nd cracked from impact forces nd holed from impact forces nce (cracked or not) and not holed from ce and holed from impact forces ted from impact forces prior to accident
(06) Side window (07) Rear window (backlight) (08) Roof and roof glass (09) Windshield and door (side) (10) Windshield and roof (11) Side and rear window (side window (12) Windshield and side window (13) Door and side window (98) Other combination of above (specif		28. BL 29. Roof (0) No occupant cont (1) Glazing contacted (2) Glazing in place a (3) Glazing in place a (4) Glazing out-of-pla contact and not h (5) Glazing out-of-pla	25. RF 26. LR 27. RR 28. Other 29. O
Door, Tailgate or Hatch Opening	^	occupant contact (6) Glazing disintegra (9) Unknown if conta	ted by occupant contact
5. LF 6. RF 7. LR 8. RR (0) No door/gate/hatch (1) Door/gate/hatch remained closed an (2) Door/gate/hatch came open during o	d operational	If No Glazing Damage	And No Occupant Contact or No V31 Through IV46 As Ø
(3) Door/gate/hatch jammed shut		Type of Window/Window	dshield Glazing
(8) Other (specify):		21 WC 22 157	33. RF 234. LR 235. RRZ
(9) Unknown			33. Nr 2 34. LR 2 35. NR
• . —	RR 4. TG/H	(0) No glazing contact (1) AS-1 — Laminate (2) AS-2 — Tempered (3) AS-3 — Tempered (4) AS-14 — Glass/Pl (8) Other (specify):	d d-tinted
(0) No door/gate/hatch or door not oper		(9) Unknown	
Door, Tailgate or Hatch Came Open Duri (1) Door operational (no damage)	uñ comaiou	Minday Day	-in-a Channa
(2) Latch/striker failure due to damage		Window Precrash Gla	
(3) Hinge failure due to damage	_	39. WS 7 40. LF Z	241. RF 242. LR / 43. RR/
(4) Door structure failure due to damage(5) Door support (i.e., pillar, sill, roof sid		l .	
etc.) failure due to damage	iv iuli,	44. BL_/ 45. Roof	746. Othe
(6) Latch/striker and hinge failure due to(8) Other failure (specify):	o damage	(1) Fixed	t and no damage, or no glazing
(9) Unknown		(2) Closed (3) Partially opened	

(3) Partially opened (4) Fully opened (9) Unknown




	T				~~~~				4
LOCATION OF INTRUSION	INTRU COMPO		COMPARISON VALUE	ii Measu —	Irements Are in Cei INTRUDED VALUE	ntimeters) =	INTRUSION	DOMINANT CRUSH DIRECTION	
11	Inst,	PANel	20	_	10	=	10	Long	
12	11	11	20	_	0	=	20	1,10	
13	11	11	20	_	0	=	20	1/	
11	Toe	TAN	70	_	15	=	55	11] :
12	11	11	70	_	0	=	70	11	
13	"	11	70	_	0	=	70	11	
11	7/000	PAN	65	_	45	=	20	Vert	-
12	11	11	65	_	45	=	20	11	
13	/ \)/	65	_	45	=	20	1-1	6
21) (1/	65	_	45	=	20	'n	
22	, ,	"	65	_	45	=	70	1/	1
23	1,	11	65	-	45	=	20	11	
13	but hear	PACK	100	_	90	= - 3	BO (FOREWAR	1/LON9	1
	Heerin	9 165	unkn	ōu	n - 111	neph	e 472	11 8	
12	11	111		€5-`A		٨	<i>Y</i>	11	

OCCUPANT AREA INTRUSION Note: If no intrusions, leave variables IV47-IV86 blank. INTRUDING COMPONENT Dominant: Interior Components (01) Steering assembly Location of Intruding Magnitude Crush Direction Intrusion Component of Intrusion 4021 Instrument panel left (03) Instrument panel center 3 48.05 49.6 (04) Instrument panel right (051) Toe pan (06) A (A1/A2)-pillar (07) B-pillar _{52.} 05 _{53.} 6 _{54.} (08) C-pillar (09) D-pillar (10) Door panel (side) (12) Roof (or convertible top) (13) Roof side rail (14) Windshield (15) Windshield header (16) Window frame Floor pan (includes sill) (18) Backlight header 119) Front seat back (20) Second seat back (21) Third seat back (22) Fourth seat back (23) Fifth seat back (24) Seat cushion $\frac{2}{68.03}$ 69.3 (25) Back door/panel (e.g., tailgate) (26) Other interior component (specify): (27) Side panel - forward of the A (A2)-pillar (28) Side panel - rear of the A (A2)-pillar **Exterior Components** (30) Hood L 76. / / (31) Outside surface of this vehicle (specify): (32) Other exterior object in the environment (specify): 80. / / 81.5 (33) Unknown exterior object (97) Catastrophic (98) Intrusion of unlisted component(s) <u>/ /</u> 85.5 86. / (specify): (99) Unknown LOCATION OF INTRUSION MAGNITUDE OF INTRUSION (1) \geq 3 centimeters but < 8 centimeters Front Seat Fourth Seat (2) \geq 8 centimeters but < 15 centimeters (41) Left (11) Left $(3) \ge 15$ centimeters but < 30 centimeters (12) Middle (42) Middle $(4) \ge 30$ centimeters but < 46 centimeters (13) Right (43) Right $(5) \ge 46$ centimeters but < 61 centimeters (6) \geq 61 centimeters Second Seat (97) Catastrophic (7) Catastrophic (21) Left (98) Other enclosed (9) Unknown (22) Middle area (specify) (23) Right (99) Unknown DOMINANT CRUSH DIRECTION Third Seat (1) Vertical (31) Left (2) Longitudinal (32) Middle (3) Lateral (33) Right (7) Catastrophic (9) Unknown

ST	EERING	RIM/SPOKE DEFO	RMATIO	N
	(All	Messurements Are in Centimete	HE)	
COMPARISON VALUE	_	DAMAGE VALUE	=	DEFORMATION
	-		=	
	_		=	
bottom of WM	01-90	ula	=	2.0
to 12 30 m	-	7	=	
		Frant View		Sido View

STEERING COLUMN	, P	20 Leasing of Standing Bim/Speke
		93. Location of Steering Rim/Spoke Deformation
87. Steering Column Type (1) Fixed column (2) Tilt column	`/	(00) No steering rim deformation Quarter Sections
(3) Telescoping column		(01) Section A (02) Section B
(4) Tilt and telescoping column(8) Other column type (specify):		(03) Section C
		(04) Section D
(9) Unknown		Half Sections
		(05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke
88. Blank	<u>x x</u>	
(This variable is left blank		(09) Complete steering wheel collapse (10) Undetermined location
so that numbering consistency can be maintained with the		(99) Unknown
1988-94 CDS.		
		INSTRUMENT PANEL
89. Blank	<u> </u>	94. Odometer Reading 99.000
(This variable is left blank		kilometers—Code to the
so that numbering consistency can be maintained with the		nearest 1,000 kilometers
1988-94 CDS.		(000) No odometer (001) Less than 1,500 kilometers
		(500) 499,500 kilometers or more
	~ ~ ~	(999) Unknown
90. Blank (This variable is left blank	XXX	Luknown alk
so that numbering consistency		Completely distroye
can be maintained with the 1988-94 CDS.		Source: Our ple letter
		95. Instrument Panel Damage from Occupant Contact?
91. Blank	XXX	(O) No
(This variable is left blank so that numbering consistency		(1) Yes
can be maintained with the		(9) Unknown
1988-94 CDS.		96. Knee Bolsters Deformed from
	M /	Occupant Contact?
92. Steering Rim/Spoke Deformation	H'V	(0) No (1) Yes
Code actual measured		(8) Not present
deformation to the nearest centimeter (00) No steering rim deformation	r	(9) Unknown
(01-14) Actual measured value in cer	ntimeters	
(15) 15 centimeters or more (98) Observed deformation cannot b	e measured	97. Did Glove Compartment Door Open During Collision(s)?
(99) Unknown		(O) No
		(1) Yes (8) Not present
		(9) Unknown



ional Accid	lent Sampling	System-Cras	hworthiness D	eta System: Interior V	ehicle F	orm	Pag
, (POIN	ITS OF OCC	CUPANT CONTAC	CT		
0	Interior Component	Occupant No. If Known	Body Region If Known	Supporting Ph	veical F	vidence	Confidence Level of Contact Point
Contact	Contacted	Q(Bent	ysical L	VIGETICE	7
A B	45		Chest?		R bag	16 Lood	1
C 1,	95	01	head		u Hed	1 5 Cook	1
	01	01	0		or speak		
D	10	0(wees	smashed	I IA	1410	',
<u> </u>	45.	02	Chest?	leployed a	<u> </u>	7 1	
F	01	02	head		atter	40	(
G		02	Knees	Snashed			
Н	56	02	Seet	Acroshed /	entr	appart	
<u> </u>	56	01,	feet	sureshed /	entr	appent	/
J	40	04	TORSO 7	moved to	relly	e <i>d</i>	
K	,						
L							
М							
N							
		C	ODES FOR INT	ERIOR COMPONENTS			
(01) Winds		·	(23) Left B-pilla (24) Other left	r pillar (specify):		Other occupants (sp	
(03) Sunvis				vindow glass or frame vindow glass including	(48)	Child safety seat (s	pecify):
(05) Steering wheel hub/spoke (06) Steering wheel (combination of codes 04 and 05)			frame, wir	re of the following: ndow sill, A (A1/A2)-pillar, roof side rail.	(49)	Other interior object	t (specify):
(07) Steerin	ng column, transm or lever, other atta			side object (specify):	ROOF (50)	Front header	
(08) Add o	or lever, other atte n equipment (e.g., air conditioner)		(28) Left side v	vindow sill		Rear header Roof left side rail	
-	strument panel ar	nd below	RIGHT SIDE			Roof right side rail	•

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify):
- (35) Right side window glass or frame
- Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B pillar, or roof side rail.
- (37) Other right side object (specify):
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar attachment point
- (43) Other restraint system component (specify):_
- Head restraint system
- Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)

- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (156) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)
- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify):

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain.
- (2) Probable
- (3) Possible
- (9) Unknown

LEFT SIDE

(20) Left side interior surface, excluding hardware or armrests

Center instrument panel and below

Right instrument panel and below

A (A1/A2)-pillar, instrument panel,

mirror, or steering assembly (driver

A (A1/A2)-pillar, instrument panel, or

Glove compartment door

(14) Windshield including one or more of the following: front header,

(15) Windshield including one or more

mirror (passenger side only)

(16) Driver side air bag compartment

of the following: front header,

Knee bolster

side only)

cover

(17) Passenger side air bag

object (specify):

compartment cover (18) Windshield reinforced by exterior

(19) Other front object (specify):

- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar

AUTOMATIC RESTRAINTS NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form. **AIR BAGS** Lef1 Right Availability/Function R Deployment S Failure Air Bag System Availability/Function Are There Indications of Air Bag Air Bag System Deployment System Failure? Not equipped/not available Not equipped/not available (O) Not equipped/not available (1) Air bag (1) Air bag deployed during accident (1) No (as a result of impact) Air bag deployed inadvertently just (specify): Non-functional (2) Air bag disconnected (specify): prior to accident (3) Air bag deployed, accident sequence (9) Unknown (3) Air bag not reinstalled undetermined (4) Nondeployed (9) Unknown (5) Unknown if deployed (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (9) Unknown

AUTOMATIC BELTS

		Left /	Right
	Availability/Function		
F	Use	Y	
Ŕ	Туре		
S T	Proper Use		
	Failure Modes		/

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

Automatic (Passive) Belt System Type

- (O) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Ocupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous

		Left/	Center	Right
	Availability	,4	Q_{ij}	4
1	Evidence of usage	NO'	N/A	\(\frac{1}{2}\)
Ŕ	Used in this crash?	00	00	00
S	Proper Use	0	0	0
ı	Failure Modes	.0	0	<u> </u>
	Availability	4	3	4
Ē	Evidence of usage	ND	No	70
SECO	Used in this crash?	00	00	00
Ň	Proper Use	0	0	<u> </u>
D	Failure Modes	0	0	6
	Availability			
O T	Evidence of usage			
н	Used in this crash?			
E	Proper Use			
R	Failure Modes			

Manual (Active) Belt System Availability

(0) None available

- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify):
- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify):
- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used type unknown
- (08) Other belt used (specify):
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat type unknown
- (18) Other belt used with child safety seat (specify):_____
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of manual belt system (specify):
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other manual belt failure (specify):
- (9) Unknown

th	hen a child safety seat is present enter the c e occupant's number using the codes listed	occupant's number d below. Comple	er in the first row and complete the column below ete a column for each child safety seat present.
0	ccupant Number		
1.	Type of Child Safety Seat		
2.	Child Safety Seat Orientation	^ \	
3.	Child Safety Seat Harness Usage		
4.	Child Safety Seat		
5.	Child Safety Seat Tether Usage		
6	Child Safety Seat Make/Model	Specify Be	low for Each Child Safety Seat
1.	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify)	Austra (6) inches	Child Safety Seat Harness Usage Child Safety Seat Shield Usage Child Safety Seat Tether Usage Note: Options Below Are Used for Variables 3-5. (00) No child safety seat
2.	(8) Unknown child safety seat type (9) Unknown if child safety seat used Child Safety Seat Orientation (00) No child safety seat Designed for Rear Facing for	The state of the s	Not Designed with Harness/Shield/Tether (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether
	This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify): (09) Unknown orientation		Designed With Harness/Shield/Tether (i 1) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used
	Designed for Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify):		Unknown If Designed With Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used
	Unknown orientation Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight	6.	(99) Unknown if child safety seat used Child Safety Seat Make/Model (Specify make/model and occupant number)
	(21) Rear facing(22) Forward facing(28) Other orientation (specify):		
	(29) Unknown orientation		
	(99) Unknown if child safety seat used		

CHILD SAFETY SEAT FIELD ASSESSMENT

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	T		T	
		Left	Center	. Right
F	Head Restraint Type/Damage	گ		3
l R	Seat Type	02	90	02
S T	Seat Performance	7	0	7
	Seat Orientation		0	1
	Head Restraint Type/Damage	0	0	0
S E C	Seat Type	0305	19305	Q3 05
N	Seat Performance			<u> </u>
Ď	Seat Orientation	' /	1	1
Т	Head Restraint Type/Damage			/
Ĥ	Seat Type			
R	Seat Performance			
D	Seat Orientation			
0	Head Restraint Type/Damage			
Ť H E	Seat Type			
	Seat Performance	/		
R	Seat Orientation			

Head Restraint Type/Damage by Occupant at This **Occupant Position**

- No head restraints
- (1)
- Integral no damage Integral damaged during accident (2)
- (3) Adjustable - no damage
- (4) Adjustable damaged during accident
- (5)
- Add-on no damage Add-on damaged during accident (6)
- Other Specify):
- (9) Unknown

Seat Type (this Occupant Position)

- Occupant not seated or no seat
- **Bucket** (01)
- (02)Bucket with folding back
- (03) Bench
- (04)Bench with separate back cushions
- (05)Bench with folding back(s)
- (06)Split bench with separate back cushions
- (07)Split bench with folding back(s)
- (08)Pedestal (i.e., column supported)
- (09)Other seat type (specify):
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

- Seat Performance (this Occupant Position)
- (0) Occupant not seafed or no seat
- No seat performance failure(s) (1)
- Seat adjusters failed
- Seat back folding locks or "seat back" failed specify:
- Seat tracks/anchors failed
 - Deformed by impact of occupant #15
- Deformed by passenger don partment
- intrusion (specify):
- nbipation of above (
- (8) Other (specify):
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- Forward facing seat (1)
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify):
- (9) Unknown

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERNY

Complete the following if the resear in the vehicle. Code the appropriate EJECTION No No Yes [Describe indications of ejection and Plan Police	e data on the	Occupant As	sessment Fo	orm.			
Occupant Number							
Ejection							
(Note on Vehicle Interior Sketch) Ejection Area						·	
Ejection Medium							
Medium Status					<u>.</u>		
Ejection (1) Complete ejection (2) Partial ejection (3) Ejection, Unknown degree (9) Unknown Ejection Area (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear	(7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Ejection Medium (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):			(5) Integral structure (8) Other medium (specify): (9) Unknown Medium Status (Immediately Prior to Impact) (1) Open (2) Closed (3) Integral structure (9) Unknown			
Describe entrapment mechanism: possencer (V,02) w entrapment compon fruit seas-	21 1	he dring tropped ere 41	er (V,0) - mo	<u>'</u>	l frankly	+ Risky	- sent
Component(s):							

OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

77.	OCCUPANT'S SEATING
1. Primary Sampling Unit Number	11
2. Case Number - Stratum	10. Occupant's Seat Position Front Seat
3. Vehicle Number	(11) Left side (12) Middle
4. Occupant Number	(13) Right side
OCCUPANT'S CHARACTERISTICS	(14) Other (specify):(15) On or in the lap of another occupant
5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant
6. Occupant's Sex (1) Male (2) Female (9) Unknown	Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant
7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown Winches X 2.54 = 118 centimeters 6 6 5	Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant (97) In or on unenclosed area (98) Other seat (specify): (99) Unknown
8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown 10	11. Occupant's Posture (0) Normal posture Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify): (9) Unknown

	EJEC	TION/E	NTRAPMENT
12.	Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown	Q	15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13.	Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown	0	16. Entrapment (NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.) (0) Not entrapped (1) Entrapped (9) Unknown
14.	Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Integral structure (8) Other medium (specify): (9) Unknown	<u>Q</u>	

		RESTRAINT	SYSTE	EM EVA	LUATION	
	(0) None ava (1) Belt remo (2) Shoulder (3) Lap belt (4) Lap and s (5) Belt avail	oved/destroyed belt shoulder belt lable—type unknown	4	(0) (1) <i>Non-</i> (2)	Bag System Availability/Function Not equipped/not available Air bag Functional Air bag disconnected (specify): Air bag not reinstalled	+
	(6) Shoulder	Partially Destroyed belt (lap belt destroyed/removed) (shoulder belt destroyed/removed)		(9)	Unknown	1
	(8) Other be	It (specify):		22. Air E	Bag System Deployment Not equipped/not available	<i>+</i>
	(9) Unknowr) ()	· (1)	Air bag deployed during accident (as a result of impact)	
18.	(00) None us	e) Belt System Use ed, not available, or belt l/destroyed ive (specify):	452	(3)	Air bag deployed inadvertently just prior to accident Air bag deployed, accident sequence undetermined Nondeployed	
	(02) Shoulder (03) Lap belt (04) Lap and (05) Belt user (08) Other be			(5) (6)	Unknown if deployed Air bag deployed as a result of a noncollis event during accident sequence (e.g., fire, explosion, electrical) Unknown	ion ,
	(13) Lap belt (14) Lap and safety s (15) Belt use	d with child safety seat—type unkr elt used with child safety seat):	nown	Syst (0) (1)	There Indications of Air Bag tem Failure? Not equipped/not available No Yes (specify):	+
	(99) Unknow	n it beit used		(9)	Unknown	
19.	(0) None use (1) Belt used	Manual (Active) Belts d or not available properly properly with child safety seat	Y	Note	e: See Variables 44 through 48 (Page 5) for Information on Automatic Belts	·
	(4) Shoulder (5) Belt worr (6) Lap belt (7) Lap belt (bet worn under arm belt worn under arm belt worn behind back or seat a around more than one person worn on abdomen or lap and shoulder belt used by with child safety seat (specify):		(0) (1) (2) (3)	ce Reported Restraint Use None used Police did not indicate restraint use Shoulder belt Lap belt Lap and shoulder belt	7
	(8) Other important (specify):	proper use of manual belt system		(6)	Belt used, type not specified Child safety seat Other or automatic restraint specify): Air bas alphore with	
	(9) Unknown		0	l (8)	Restrained type unknown Police indicated "unknown"	_DUT (
20.	During Accide (0) No manu (1) No manu (2) Torn web included) (3) Broken b (4) Upper an	al belt used al belt failure(s) bbing (stretched webbing not	(X)	(6)		
	(6) Broken re (7) Combina	etractor tion of above (specify):				
	(8) Other ma	nual belt failure (specify):			· · · · · · · · · · · · · · · · · · ·	
	(9) Unknown	<u> </u>		1		

HEAD RESTRAINT AND SEAT EVALUATION

25.	Head	Restraint	Type/Damage	by	Occupant
	at Thi	s Occupa	nt Position		The December of

- (0) No head restraints
- (1) Integral—no damage
- (2) Integral—damaged during accident
- (3) Adjustable—no damage
- (4) Adjustable-damaged during accident
- (5) Add-on—no damage
- (6) Add-on-damaged during accident
- (8) Other (specify):
- (9) Unknown

26. Seat Type (this Occupant Posit	: Type	(this	Occupant	Position)
------------------------------------	--------	-------	----------	-----------

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify):
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

27. Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify):
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify):

0	Combin	ation of abo	ove (speci	ify):	intra	eiv	سر
(8)	Other	Buch	pourt	ne	PONCT	A	p,
(9)	Unknow		()	· · · · · · · · · · · · · · · · · · ·	·		

	CHILD SA	AFETY SEAT	
28.	Child Safety Seat Make/Model (000) No child safety seat	31 Child Safety Seat Harness Usage	00
	Applicable codes are found in your NASS CDS Data Collection, Coding and Editing	32. Child Safety Seat Shield Usage	00
	(950) Built-in child safety seat (997) Other make/model (specify):	33. Child Safety Seat Tether Usage	00
	(998) Unknown make/model (999) Unknown if child safety seat used	Note: Options below applicable to Variables OA31-OA33.	
		(00) No child safety seat	
29.	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat	Not Designed With Harness/Shield/Teth (01) After market harness/shield/tethe added, not used (02) After market harness/shield/tethe (03) Child safety seat used, but no after	er used
	(4) Booster seat(7) Other type child safety seat (specify):	harness/shield/tether added (09) Unknown if harness/shield/tether added or used	
	(8) Unknown child safety seat type (9) Unknown if child safety seat used	Designed With Harness/Shield/Tether (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether	
30.	Child Safety Seat Orientation (00) No child safety seat Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing	Unknown If Designed With Harness/Sh (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether	hield/Tether
	(08) Other orientation (specify):	(99) Unknown if child safety seat use	.
	(09) Unknown orientation		
	Designed For Forward Facing for This Age/Weight (11) Rear facing		
	(12) Forward facing(18) Other orientation (specify):		
	(19) Unknown orientation		
	Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing		
	(22) Forward facing(28) Other orientation (specify):		
	(29) Unknown orientation		
	(99) Unknown if child safety seat used		
		•	

	INJURY CONSEQUENCES	38. Working Days Lost 62
34.	Injury Severity (Police Rating)	Code the number of days (up through 60) that the occupant
	(0) O - No injury	lost from work due to the accident
	(1) C - Possible injury	(00) No working days lost (61) 61 days or more
	(2) B - Nonincapacitating injury	(62)—Fatally injured
	(3) A - Incapacitating injury (4) K - Killed	(97) Not working prior to accident
	(5) U - Injury, severity unknown	(99) Unknown
	(6) Died prior to accident	
	(9) Unknown	STOP - GO TO VARIABLE 44 ON PAGE 7
	<i>)</i>	VARIABLES 39 THROUGH 43 ARE
35.	Treatment - Mortality	COMPLETED BY THE ZONE CENTER
	(0) No treatment	
	(1) Fatal (2) Fatal - ruled disease (specify):	39. Time to Death
		1:07 Code number of hours from time of
		accident to time of death up through 24
	Nonfatal (3) Hospitalization	hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =
	(4) Transported and released	31, 2 days = 32, n days = 30 +n up
	(5) Treatment at scene - nontransported	through 30 days = 60)
	(6) Treatment later(8) Treatment - other (specify):	(00) Not fatal (96) Fatal - ruled disease
	(a) Freatment - Other (specify).	(99) Unknown
	(9) Unknown	
	/	40. 1st Medically Reported Cause of Death 99
36.	Type Of Medical Facility (for Initial Treatment)	
	(0) Not treated at a medical facility	41. 2nd Medically Reported Cause of Death O O
	(1) Trauma center (2) Hospital	42. 3rd Medically Reported Cause of Death OD
	(3) Medical clinic	Code the Occupant Injury from line
	(4) Physician's office(5) Treatment later at medical facility	number(s) for the medically reported
	(8) Other (specify):	injury(s) which reportedly contributed to this occupant's death
		(00) Not fatal or no additional causes
	(9) Unknown	(96) Mode of death given but specific
	$\mathcal{O}(\mathcal{K})$	injuries are not linked to cause of death. (specify):
37.	Hospital Stay	
	(00) Not Hospitalized Code the number of days (up through 60)	(97) Other result (includes fatal ruled
	that the occupant stayed in hospital.	disease) (specify):
	(61) 61 days or more	(99) Unknown
	(99) Unknown	
		43. Number of Recorded Injuries for
		This Occupant / 3
		73 Code the actual number of injuries recorded for this occupant.
		(00) No recorded injuries
		(97) Injured, details unknown
		(99) Unknown if injured

	AUTOMATIC BELT SYSTEM	4	8. Automatic (Passive) Belt Failure Modes
44.	Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown	7	During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):
45.	Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown	4	(9) Unknown 49. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify):
46.	(9) Unknown Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown		(9) Unknown
47.	Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): (8) Other improper use of automatic belt system (specify): (9) Unknown	2	Check the Primary Source Used In Determining Belt Use. [] Not equipped/not available/destroyed or endered inoperative [] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify):
	ARE ALL APPLICABLE MEDICAL RECO	ORD	OS INCLUDED NO [1 YES []
	UPDATE CANDIDATE	?	NO[] YES[

ST	OP - VARIABLES 50 THROUGH 53	AR	Œ		. `.	BELT USE DETERMINATION		
ČĊ	STOP - VARIABLES 50 THROUGH 53 ARE COMPLETED BY THE ZONE CENTER TRAUMA DATA		53. Pri (0			nary Source of Belt Use Determination Not equipped/not available/destroyed or rendered inoperative Vehicle inspection		
50.	Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	0	2		(2) (3)	Official injury data Driver/occupant interview Other (specify): Unknown if belt used		
51.	Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	-						
52.	Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reporte (02-50) Code the actual value of theHCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	ed						

Administration

U.S. Department of Transportation National Highway Traffic Safety

OCCUPANT INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

72

3. Vehicle Number

0 /

2. Case Number - Stratum

0 8 2 A

4. Occupant Number

<u>0 1</u>

INJURY DATA


Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source		Type of	A.I.S Specific	90				Injury Source	Direct/	Occupant Area
	of Injury Data	Body Region	Anatomic Structure	Anatomic	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Intrusion Number
1st	5. <u>/</u>	6. 8	7. <u>5</u>	8. <u>/ 8</u>	9. <u>/ 8</u>	10. <u>3</u>	11/	12. 0 9	13. <u> </u>	14. <u>l</u>	15 9 _ 7
2nd	16	17. 8	18. 5	19. <u>/ </u>	20. 22	21. <u>3</u>	22. <u>/</u>	23. <u>0</u> 9	24. <u>1</u>	25. <u> </u>	26 7
3rd	27. <u> </u>	28\$	29. 5	30. <u>/ 8</u>	31. <u>00</u>	32. <u>3</u>	33. 2	34. <u>0</u> 9	35. <u> </u>	36	37. <u>9</u> 7
4th	38.	39. 2	40. 4	41 0 _ 2	42. 0 2	43	44	45 . <u>4</u> <u>5</u>	46. 2	47 . <u> </u>	48. <u>0 0</u>
5th	49	502	51. 4	52. <u>0</u> <u>6</u>	53. <u>D 2</u>	54. <u>/</u>	55	56. <u>4 \$</u>	57. <u>3</u>	58. <u> </u>	59. <u>0</u> <u>0</u>
6th	60	61. 2	62. <u></u> 9	63. <u>7 Z</u>	64. <u>02</u>	65/	66. <u>9</u>	67. <u>4</u> <u>5</u>	68. <u>2</u>	69. <u> </u>	70. <u>U</u> O
7th	71	72. <u>4</u>	73. <u>٩</u>	74. <u>0 Z</u>	75. <u>0 2</u>	76. <u> </u>	77. <u> </u>	78. <u>D</u> <u>L</u>	79. <u>2</u>	80	81. 9 7
8th	82	834	84. 9	85. <u>0 4</u>	86. <u>^ 2</u>	87	88. 1	89. <u>D</u>	90. 2	91. <u> </u>	92. 9 7
9th	93	94. <u>6</u>	95. <u> </u>	96. <u>0 2</u>	97. <u>6 2</u>	98	99. 1	100. 40	1012	102	103. 00
10th	104. 📙	105. <u>7</u>	106. 4	07. <u>0 2</u>	108. 🛆 💆	109. /	110. <u>2</u>	111. 0 9	112. 3	113/	114. 9 7

	OCCUPANT INJURY DATA										
	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S 90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
11th	1	7	<u>- 4</u>	06	0 2	<u> 1</u>	1. <u>1.4</u> 1.	09	<u>2</u>	#4 <u>1</u> -	97
12th		8	9	02	02		3	09	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	97
13th		8	7	06	02		1	09	1	1_	97
14th	-						_	· .			
15th						·	·		e e e e e e e e e e e e e e e e e e e		
16th		_	·			·	· <u>—</u>	., 	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
17th		-						-			
18th							. e . <u></u>		· <u> </u>		
19th					. _		. •	· · · · · · · · · · · · · · · · · · ·	en e	· ·	· · · · · · · · · · · · · · · · · · ·
20th	_		_							_	
21st	_		_				<u>—</u>	A	*********		
22nd		_			*****	•				_	
23rd			_						r og en de	tak k ama k k	
24th						tra -			na ngan i sa		
25th	*******		******								

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA OFFICIAL

- (1) Autopsy records with or without hospital/ medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- Other source (specify):
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- Passenger side air bag compartment cover
- Windshield reinforced by exterior object (18) (specify):
- (19) Other front object (specify):

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify):

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify):
- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify):
- (35) Right side window glass or frame
- Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify):
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar or door frame attachment point
- Other restraint system component (specify):
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)
- (46) Other occupants (specify):
- (47) Interior loose objects
- (48) Child safety seat (specify):
- (49) Other interior object (specify):

ROOF

- (50) Front header
- (51) Rear header (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

(60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify):

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- Other exterior surface or tires (specify):
- (68)Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify):
- (73) Hood
- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar
- (76) Side surface
- (77)Side mirrors
- (78)Other side protrusions (specify)
- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- (82)Other exterior of other motor vehicle (specify):
- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE **ENVIRONMENT**

- (84) Ground
- (85) Other vehicle or object (specify)
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- Other noncontact injury source (specify):
- (93) Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- Probable (2)
- Possible (3)
- (9) Unknown

DIRECT/INDIRECT INJURY

- Direct contact injury
- Indirect contact injury
- (3) Noncontact injury
- Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- Head
- Face Neck
- (3) (4) Thorax
- (5) Abdomen
- (6) **Upper Extremity** (7)
- (8) **Lower Extremity** Unspecified

Type of Anatomic Structure

- Whole Area
- (2) Vessels
- (3) Nerves
- Organs (includes muscles/
- (5) Skeletal (includes joints)
- Head LOC (9)

Specific Anatomic Structure

- Whole Area (02) Skin Abrasion
- (04) Skin Contusion (06) Skin - Laceration
- (08) Skin - Avulsion Amputation
- (20) Burn
- (30) Crush
- Degloving
- Injury NFS (90) Trauma, other than mechanical
- Head LOC
- Length of LOC (04, 06, 08) Level of Consciousness
- (10) Concussion

- Cervical (04)Thoracic (06) Lumbar
- Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- Minor injury (2) Moderate injury
- (3) Serious injury
- (4) (5) Severe injury Critical injury
- (6) Maximum (untreatable) (7) Injured, unknown severity

Aspect

- Right
- (2) (3) Left Bilateral
- (4) (5) Central Anterior
- (6) (7) **Posterior**
 - Superior Inferior
- Unknown (9)
- (0) Whole region

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = NEG

Glasgow Coma Scale Score


GCSS =


Units of Blood Given

Units =

Arterial Blood Gases


0328 6/17






OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation

OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

Netlo

<u>Admi</u>

etional Highway Traffic Safety	CRASHWORTHINESS DATA SYSTEM
77	OCCUPANT'S SEATING
1. Primary Sampling Unit Number	10. Occupant's Seat Position
2. Case Number - Stratum <u>082A</u>	Front Seat
3. Vehicle Number	(11) Left side (12) Middle
4. Occupant Number <u>02</u>	(13) Right side (14) Other (specify):
OCCUPANT'S CHARACTERISTICS	(15) On or in the lap of another occupant
5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant
6. Occupant's Sex (1) Male (2) Female (9) Unknown (777	Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant
7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown Cinches X 2.54 = HBcentimeters 6 4.5	Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant (97) In or on unenclosed area (98) Other seat (specify): (99) Unknown
8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown Dopounds X .4536 = Bookilograms (7) 9. Occupant's Role (1) Driver (2) Passenger (9) Unknown	11. Occupant's Posture (0) Normal posture Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify): (9) Unknown

	"	JECTION/EN	NTRAPMENT
12.	Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown		15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13.	Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear		16. Entrapment (NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.) (0) Not entrapped
	(7) Roof(8) Other area (e.g., back of pickup, et (specify):(9) Unknown	tc.)	(0) Not entrapped (1) Entrapped (9) Unknown Sel interior form E photy apply
14.	Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):		
	(5) Integral structure (8) Other medium (specify): (9) Unknown		

RESTRAINT SYSTE	EM EVALUATION
17. Manual (Active) Belt System Availability (O) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown Integral Belt Partially Destroyed (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed)	21 Air Bag System Availability/Function (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown
(8) Other belt (specify): (9) Unknown 18. Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify):	 22. Air Bag System Deployment (0) Not equipped/not available (1) Air bag deployed during accident (as a result of impact) (2) Air bag deployed inadvertently just prior to accident (3) Air bag deployed, accident sequence undetermined (4) Nondeployed (5) Unknown if deployed (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (9) Unknown
(12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): (99) Unknown if belt used 19. Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat	23. Are There Indications of Air Bag System Failure? (0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts
Belt Used Improperly (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): (8) Other improper use of manual belt system (specify): (9) Unknown	24. Police Reported Restraint Use (0) None used (1) Police did not indicate restraint use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Otherror automatic restraint (specify): (8) Restrained, type unknown (9) Police indicated "unknown"
20. Manual (Active) Belt Failure Modes During Accident (0) No manual belt used (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify):	
(9) Unknown	

	HEAD RESTRA	INT AN	D SEAT	EVALUATION			54
25.	Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify):	3	27. Sea (0) (1) (2) (3) (4) (5)	t Performance (thi Occupant not sea No seat performal Seat adjusters fail Seat back folding (specify):	ted or no since failure led locks or "since failed locks or continue failed locks or occurrence failed locks of occurrence failure locks of the failure locks o	seat (s) seat bac upant upantmen	k" failed
		00	181	other (specify):	+	odet	fromthe
26.	. Seat Type (this Occupant Position)(00) Occupant not seated or no seat	Y_	(9)	Unknown	· · · · · · · · · · · · · · · · · · ·		
	(01) Bucket						
	 (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushion (07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Other seat type (specify): 	ns					
	(10) Box mounted seat (i.e., van type)						
	(99) Unknown						
							·
						*	1
							·
				•			

	CHILD SAF	EIY SEAL
 28.	Child Safety Seat Make/Model (000) No child safety seat	31. Child Sa
	Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify):	32. Child Sa
	(998) Unknown make/model	33. Child S
	(999) Unknown if child safety seat used	Variable (00) N
29.	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat	Not De. (01) A (02) A (03) C
	(4) Booster seat(7) Other type child safety seat (specify):	(09) U
:	(8) Unknown child safety seat type (9) Unknown if child safety seat used	Design (11) H (12) H
30.	Child Safety Seat Orientation (00) No child safety seat	(19) U Unkno (21) H
	Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):	(22) F (29) U (99) U
	(09) Unknown orientation	(00)
	Designed For Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify): (19) Unknown orientation	
	Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify):	·
	(29) Unknown orientation	
	(99) Unknown if child safety seat used	

- 31. Child Safety Seat Harness Usage
- 00
- 32. Child Safety Seat Shield Usage



33. Child Safety Seat Tether Usage

Note: Options below applicable to Variables OA31-OA33. (00) No child safety seat

Not Designed With Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
 - (02) After market harness/shield/tether used
 - (03) Child safety seat used, but no after market harness/shield/tether added
 - (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used
- (99) Unknown if child safety seat used

	INJURY CONSEQUENCES	38. Working Days Lost
34	. Injury Severity (Police Rating)	Code the number of days (up through 60) that the occupant
	(O) O. Na injury	lost from work due to the accident
	(0) O - No injury (1) C - Possible injury	(00) No working days lost
	(2) B - Nonincapacitating injury	(61) 61 days or more
	(3) A - Incapacitating injury	(62) Fatally injured (97) Not working prior to accident
	(4) K - Killed	(99) Unknown
	(5) U - Injury, severity unknown	(33) Olikhowii
	(6) Died prior to accident	
	(9) Unknown	STOP - GO TO VARIABLE 44 ON PAGE 7
	<i>)</i>	VARIABLES 39 THROUGH 43 ARE
35	5. Treatment - Mortality	COMPLETED BY THE ZONE CENTER
	(0) No treatment	
	(1) Fatal	20. Time to Death
	(2) Fatal - ruled disease (specify):	39. Time to Death /:09 Code number of hours from time of
		accident to time of death up through 24
	Nonfatal	hours. If time of death is greater than 24
	(3) Hospitalization	hours, code number of days. (Note: 1 day =
	(4) Transported and released	31, 2 days = 32, n days = 30 +n up
	(5) Treatment at scene - nontransported	through 30 days = 60)
	(6) Treatment later	(00) Not fatal
	(8) Treatment - other (specify):	(96) Fatal - ruled disease
	(9) Unknown	(99) Unknown
	(9) UNKNOWN	2.2
		40. 1st Medically Reported Cause of Death 9
3	6. Type Of Medical Facility (for Initial Treatment)	
	(0) Not treated at a medical facility	41. 2nd Medically Reported Cause of Death
	(1) Trauma center	to a last it. II. Becamed Course of Dogth
	(2) Hospital	42. 3rd Medically Reported Cause of Death Code the Occupant Injury from line
	(3) Medical clinic (4) Physician's office	number(s) for the medically reported
	(5) Treatment later at medical facility	injury(s) which reportedly contributed to
	(8) Other (specify):	this occupant's death
		(00) Not fatal or no additional causes
	(9) Unknown	(96) Mode of death given but specific
		injuries are not linked to cause
	()	of death. (specify):
3	7. Hospital Stay	- Land and and and and and and and and and
	(00) Not Hospitalized	(97) Other result (includes fatal ruled
	Code the number of days (up through 60)	disease) (specify):
	that the occupant stayed in hospital. (61) 61 days or more	(99) Unknown
	(99) Unknown	(99) Olikilowii
	(33) CHRISTI	
		43. Number of Recorded Injuries for
		This Occupant 1 2
		Code the actual number of
		injuries recorded for this occupant.
		(00) No recorded injuries
		(97) Injured, details unknown (99) Unknown if injured
-		(33) OHKHOWH II IIIJUIEU
1		1

44.	Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown	48	During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):
45.	Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown	49	2. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify): (9) Unknown
46.	Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown	_	Check the Primary Source Used In Determining Belt Use.
47.	Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): (8) Other improper use of automatic belt system (specify): (9) Unknown	7	[] Not equipped/not available/destroyed or endered inoperative [
	ARE ALL APPLICABLE MEDICAL REC WITH INITIAL SUBMISSION?	ORD	S INCLUDED NO [] YES []
	UPDATE CANDIDATE	Ξ?	NO[] YES[/

STOP - VARIABLES 50 THROUGH 53	ARE	BELT USE DETERMINATION
COMPLETED BY THE ZONE CENTER		53. Primary Source of Belt Use Determination
		(0) Not equipped/not available/destroyed or rendered inoperative
TRAUMA DATA		(1) Vehicle inspection (2) Official injury data
50. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	0 2	
51. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given		
52. Arterial Blood Gases (ABG) - HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of theHCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured		

Administration

U.S. Department of Transportation National Highway Traffic Safety

OCCUPANT INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

7 2

3. Vehicle Number

2. Case Number - Stratum

4. Occupant Number

INJURY DATA


Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source of Injury	Body	Type of Anatomic	A.I.S Specific Anatomic	90 Level of	A.I.S.	-	Injury	Injury Source Confidence		Intrusion
	Data	Region	Structure	Structure	Injury	Severity	Aspect	Source	Level	Injury	Number
1st	5. <u> </u>	6. <u>/</u>	7. <u>5</u>	8. <u>0 4</u>	9. <u>0 0</u>	10. 2	11. 9	12. <u>/</u> /	13. <u>3</u>	14	15. <u>D</u> 5
2nd	16. <u>\</u>	17. <u>4</u>	18. 5 1	9. 02	20. 10	21. /	22. <u>9</u>	23	24. <u>3</u>	25. <u>/</u>	26. 0 5
3rd	27	28. 7	29. 🚣 3	0. 2 6	31. 00	32. 2	33. 2	34. <u>/</u> /	35Z	36	37. <u>0 5</u>
4th	38	398	40. 5	11. 26	42. 00	432	44. 9	45//	46. <u>/</u>	47. <u>/</u>	48. 0 5
5th	49. <u> </u>	508	51. <u> </u>	52. <u>3 4</u>	53. <u>0 4</u>	54	55. <u> </u>	56. <u>/ /</u>	57. <u>/</u>	58. <u>/</u>	59. <u>0</u> 5
6th	60. <u>(</u>	612	62. <u>9</u>	53. <u>0</u> 2	64. <u>0 2</u>	65. <u>1</u>	66. <u> </u>	67. <u>4</u> <u>5</u>	68. <u>2</u>	69. <u>/</u>	70. <u>o o</u>
7th	71. <u> </u>	72. <u>2</u>	73. <u>9</u>	74. <u>0 2</u>	75. <u>0</u> <u>2</u>	76	77. 2	78. <u>4</u> 5	79. 2	80. 1	81. <u>P</u> o
8th	82. <u> </u>	83	84	85. <u>D 2</u>	86. <u>0 2</u>	87.	88. 8	89. <u>4</u> 5	90. 2	91	92. <u>0</u> <u>0</u>
9th	93. <u>1</u>	94. 7	95. <u>\$</u>	96. <u>0 2</u>	97. <u>o 2</u>	98	99. <u>3</u>	100. // //	101. 2	102/	103. <u>0 5</u>
10th	104. 1	105. 7	106. <u></u> 1	07. <u>0 6</u>	108. <u>0 2</u>	109. 1	110	111. / /	112. 2	113	114. 05

				OCC	CUPANT	NJURY	DATA				
	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S 9 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
11th		8	9	02	02	19. <u>4</u> 10. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	<u>3</u>			<u>./</u>	_05
12th	<u> </u>	8	"	06	02	<u> </u>				<u>/</u>	_05
13th		-								,	
. 14th					·		- 	·	erika Grafika Grafika		
. 15th					· · · · · · · · · · · · · · · · · · ·	·				e e saj alia e	
- 16th		· <u></u>	· 	·		19.00 19	em ed <u>ela a</u> ltipee en dela altipee			<u> </u>	
17th		_								9 <u>, 1</u> 4	
18th		· · · · · · · · · · · · · · · · · · ·	en e	ر - برای از این از ای - از این از							
19th									_		
20th	_					A Section 1					
21st											
22nd		· .	_	·		100 mg				e Charles of Landson)
23rd											
24th	. (il in the second of the second				alternative of the state of the		US 40000 CA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 .		
25th	-		n marga Naragangan sak Tanggangan								

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA

- (1) Autopsy records with or without hospital/ medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- Private physician, walk-in or emergency

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7)Interviewee
- Other source (specify):
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- Passenger side air bag compartment cover
- Windshield reinforced by exterior object (18)(specify):
- Other front object (specify):

LEFT SIDE

- (20) Left side interior surface. excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify):

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify):
- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify):
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify):
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- Belt restraint webbing/buckle
- Belt restraint B-pillar or door frame (42)attachment point
- Other restraint system component (specify):
- Head restraint system (44)
- Air bag (use codes "16" and "17" for injuries (45)sustained from air bag compartment covers)
- Other occupants (specify):
- (47) Interior loose objects
- Child safety seat (specify):
- (49) Other interior object (specify):

ROOF

- (50) Front header
- (51)Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

(60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify):

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- Other exterior surface or tires (specify):
- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify):
- (73) Hood
- (74) Hood ornament
- (75)Windshield, roof rail, A-pillar
- (76) Side surface
- Side mirrors (7.7)
- (78) Other side protrusions (specify)
- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- (82) Other exterior of other motor vehicle (specify):
- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE **ENVIRONMENT**

(84) Ground

- (85) Other vehicle or object (specify)
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- (92)Other noncontact injury source (specify):
- Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE **LEVEL**

- (1) Certain
- (2) Probable 131 Possible
- Unknown

DIRECT/INDIRECT INJURY

- Direct contact injury
- (2) Indirect contact injury Noncontact injury (3)
- Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- Head
- (2) Face Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine Upper Extremity
- Lower Extremity Unspecified (8)

Type of Anatomic Structure

- Whole Area
- Vessels
- (3) Nerves
- (4) Organs (includes muscles/ ligaments)
- (5) Skeletal (includes joints) Head - LOC
- (6) (9) Skin

Specific Anatomic Structure

- Whole Area (02) Skin Abrasion
- (04) Skin Contusion
- (06) Skin - Laceration (08) Skin - Avulsion
- (10)Amputation Burn
- (30)Crush
- (40) Degloving
- Injury NFS Trauma, other than mechanical
- <u> Head -</u> LOC
- (02) Length of LOC
- (04, 06, 08) Level of Consciousness
- (10) Concussion

- Cervical
- Thoracic (06) Lumbar
- Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- (2) (3) Moderate injury Serious injury
- Severe injury
- (5) Critical injury
- (6) Maximum (untreatable) (7) Injured, unknown severity

Aspect

- Right
- Bilateral (3) (4)
- Central (5) Anterior
- (6) (7) **Posterior** Superior
- (8) Inferior
- Unknown
- (0) Whole region

No

Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = NEG


Glasgow Coma Scale Score


GCSS = ___

Units of Blood Given

Units = ____


Arterial Blood Gases






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation

OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

etional Highway Traffic Safety dministration	national accident sampling system Crashworthiness data system
フっ	OCCUPANT'S SEATING
1. Primary Sampling Unit Number	21
2. Case Number - Stratum	10. Occupant's Seat Position
0/	(11) Left side
3. Vehicle Number	(12) Middle
4. Occupant Number	(13) Right side
OCCUPANT'S CHARACTERISTICS	(14) Other (specify):(15) On or in the lap of another occupant
OCCOLANT S CHANACTERISTICS	(15) On or in the lap of another occupant
5. Occupant's Age	Second Seat
Code actual age at time of accident.	(21) Left side
(00) Less than one year old (specify by month):	(22) Middle
(07) Months	(23) Right side (24) Other (specify):
(97) 97 years and older (99) Unknown	(25) On or in the lap of another occupant
(33) Olikilowii	(20) Chi di ili dio lep di dilatici deseppina
	Third Seat
/	(31) Left side
6. Occupant's Sex	(32) Middle
(1) Male	(33) Right side (34) Other (specify):
(2) Female (9) Unknown	(35) On or in the lap of another occupant
(5) CHAIGWII	(00)
	Fourth Seat
7. Occupant's Height 64	(41) Left side
	(42) Middle
Code actual height to the nearest	(43) Right side (44) Other (specify):
centimeter. (999) Unknown	(45) On or in the lap of another occupant
	() o i o i iii o i i i o i i o i o i o i
25 inches X 2.54 = 63.5 centimeters	(97) In or on unenclosed area
	(98) Other seat (specify):
	(99) Unknown
8. Occupant's Weight Q 12	
Code actual weight to the nearest	9
kilogram.	11. Occupant's Posture
(999)Unknown	(0) Normal posture
26 pounds X .4536 = $1/8$ kilograms	Abnormal posture
pounds X .4536 = 11 (O kilograms	(1) Kneeling or standing on seat
	(2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat
γ	(4) Sitting sideways or turned to talk with another
9. Occupant's Role	occupant or to look out a rear window
(1) Driver	(5) Sitting on a console (6) Lying back in a reclined seat position
(2) Passenger	(7) Bracing with feet or hands on a surface in front
(9) Unknown	of seat
	(8) Other abnormal posture (specify):
	(9) Unknown

	JECTION/ER	NTRAPMENT
12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown		15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, end) (specify): (9) Unknown	tc.)	16. Entrapment (NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.) (0) Not entrapped (1) Entrapped (9) Unknown
14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Integral structure (8) Other medium (specify): (9) Unknown		

	RESTRAINT SYSTEM EVALUATION							
	Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown Integral Belt Partially Destroyed (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed)	21. Air Bag System Availability/Function (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown						
18.	(8) Other belt (specify): (9) Unknown Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): (99) Unknown if belt used	(1) No (2) Yes (specify):						
19.	Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat	(9) Unknown Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts						
	(3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): (8) Other improper use of manual belt system	24. Police Reported Restraint Use (0) None used (1) Police did not indicate restraint use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat						
	(specify): (9) Unknown	(7) Other or automatic restraint (specify): (8) Restrained, type unknown						
20.	Manual (Active) Belt Failure Modes During Accident (0) No manual belt used (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor	(9) Police indicated "unknown" * Police report specified "child restraint Not used						
	(7) Combination of above (specify):							
ı	(8) Other manual belt failure (specify):							

(9) Unknown

		HEAD RESTF	RAINT AN	D SE	EAT	EVALUATION	
25.	at TI (0) (1) (2) (3) (4) (5) (6)	d Restraint Type/Damage by Occupant his Occupant Position No head restraints Integral—no damage Integral—damaged during accident Adjustable—no damage Adjustable—damaged during accident Add-on—no damage Add-on—damaged during accident Other (specify):		27.	(0) (1) (2) (3) (4) (5)	at Performance (this Occupant Position) Occupant not seated or no seat No seat performance failure(s) Seat adjusters failed Seat back folding locks or "seat back" failed (specify): Seat track/anchors failed Deformed by impact of occupant Deformed by passenger compartment intrus (specify):	
	(9)	Unknown			(7)	Combination of above (specify):	
26.	(00)	Type (this Occupant Position) Occupant not seated or no seat	03		(8)	Other (specify):	
	(02) (03) (04) (05) (06) (07) (08)	Bucket Bucket with folding back Bench Bench with separate back cushions Bench with folding back(s) Split bench with separate back cushi Split bench with folding back(s) Pedestal (i.e., column supported) Other seat type (specify):	ions				
		Box mounted seat (i.e., van type) Unknown					
	····						

	CHI	LD SAFET	Y SEA	A I	
28.	Child Safety Seat Make/Model (000) No child safety seat	20	. Child	Safety Seat Harness Usage	00
	Applicable codes are found in your NASS CD Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify):	32	. Child	Safety Seat Shield Usage	00
	(998) Unknown make/model	33	l. Child	Safety Seat Tether Usage	<u> </u>
	(999) Unknown if child safety seat used		Varia	: Options below applicable to bles OA31-OA33. No child safety seat	
29.	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify):	Q	(01) (02) (03)	Designed With Harness/Shield/ After market harness/shield/t added, not used After market harness/shield/t Child safety seat used, but no harness/shield/tether added Unknown if harness/shield/te added or used	ether ether used o after market
	(9) Unknown if child safety seat used	20	(11) (12)	gned With Harness/Shield/Teth Harness/shield/tether not use Harness/shield/tether used Unknown if harness/shield/te	ed
30.	Child Safety Seat Orientation (00) No child safety seat Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):	ht	(21) (22) (29)	nown If Designed With Harnes Harness/shield/tether not use Harness/shield/tether used Unknown if harness/shield/te	ed ether used
	(09) Unknown orientation				
	Designed For Forward Facing for This Age/V (11) Rear facing (12) Forward facing (18) Other orientation (specify):	Veight			
	(19) Unknown orientation				
	Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify):				
	(29) Unknown orientation				
	(99) Unknown if child safety seat used				
		1			_

	INJURY CONSEQUENCES		38. Working Days Lost	91
34.	Injury Severity (Police Rating)	3	Code the number of days (up through 60) that the occupant	17
	(0) O - No injury		lost from work due to the accident	
	(1) C - Possible injury		(00) No working days lost (61) 61 days or more	
	(2) B - Nonincapacitating injury		(62) Fatally injured	
	(3) A - Incapacitating injury		(97) Not working prior to accident	
	(4) K - Killed		(99) Unknown	
	(5) U - Injury, severity unknown(6) Died prior to accident			
	(9) Unknown		STOP - GO TO VARIABLE 44 ON PAG	*E 7
	(3) OHKHOWH		STOP - GO TO VARIABLE 44 ON PAG	31 <i>1</i>
		2	VARIABLES 39 THROUGH 43 ARE	
35.	Treatment - Mortality	2	COMPLETED BY THE ZONE CENTER	
	(0) No treatment			
	(1) Fatal			\triangle
	(2) Fatal - ruled disease (specify):		39. Time to Death	
		1	Code number of hours from time of accident to time of death up through 24	
	Nonfatal		hours. If time of death is greater than 24	
	(3) Hospitalization		hours, code number of days. (Note: 1 days)	
	(4) Transported and released		$31, 2 \text{ days} = 32, \dots \text{ n days} = 30 + \text{n up}$	
	(5) Treatment at scene - nontransported		through 30 days $= 60$)	
	(6) Treatment later		(00) Not fatal	
	(8) Treatment - other (specify):		(96) Fatal - ruled disease	
	(9) Unknown		(99) Unknown	
		1		
			40. 1st Medically Reported Cause of Death	\bigcirc
36.	Type Of Medical Facility (for Initial Treatment	t) <u> </u>		00
	(0) Not treated at a medical facility (1) Trauma center		41. 2nd Medically Reported Cause of Death	$\mathcal{O}\mathcal{O}$
	(2) Hospital		42. 3rd Medically Reported Cause of Death	\bigcirc
	(3) Medical clinic		Code the Occupant Injury from line	
	(4) Physician's office		number(s) for the medically reported	
	(5) Treatment later at medical facility		injury(s) which reportedly contributed to	
	(8) Other (specify):		this occupant's death	
	(9) Unknown		(00) Not fatal or no additional causes	
	(9) OHKHOWH		(96) Mode of death given but specific injuries are not linked to cause	
	F	17	of death. (specify):	
37.	Hospital Stay		or doddin (opposity).	
	(00) Not Hospitalized	_ ((97) Other result (includes fatal ruled	
	Code the number of days (up through 6	SO)	disease) (specify):	
	that the occupant stayed in hospital.		100)	
	(61) 61 days or more (99) Unknown		(99) Unknown	
	(66)			
			43. Number of Recorded Injuries for	07
			This Occupant	7_/_
			Code the actual number of	
			injuries recorded for this occupant.	
			(00) No recorded injuries	
			(97) Injured, details unknown (99) Unknown if injured	
			(55) Shkhown in injured	

1000	ndi 7.00idont Campung Cyclem Cracintol amiceo			4 31
44.	Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown	0	48.	Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify): (9) Unknown
45.	Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown		49.	Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify): (9) Unknown
46.	Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown	X		Check the Primary Source Used In Determining Belt Use.
47.	Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): (8) Other improper use of automatic belt system (specify): (9) Unknown	2		[] Not equipped/not available/destroyed or endered inoperative [] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify):
	ARE ALL APPLICABLE MEDICAL REC WITH INITIAL SUBMISSION?	COF	RDS	INCLUDED NO [YES []
	UPDATE CANDIDAT	E?		NO[] YES[

STOP - VARIABLES 50 THROUGH 53 ARE	BELT USE DETERMINATION
COMPLETED BY THE ZONE CENTER	53. Primary Source of Belt Use Determination
	(0) Not equipped/not available/destroyed
TRAUMA DATA	or rendered inoperative (1) Vehicle inspection
9.7	(2) Official injury data (3) Driver/occupant interview
50. Glasgow Coma Scale (GCS) Score	(8) Other (specify):
(00) Not injured	(9) Unknown if belt used
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility	
(03-15) Code the actual value of the initial GCS Score recorded at medical	
facility.	
(97) Injured, details unknown (99) Unknown if injured	
51. Was the Occupant Given Blood?	
(1) No - blood not given (2) Yes - blood given	
(specify units):	
(9) Unknown if blood given	
52. Arterial Blood Gases (ABG) - HCO ₃	
(00) Not injured	
(01) Injured, ABGs not measured or reported (02-50) Code the actual value of theHCO3	
(96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown	
(99) Unknown if injured	

PSU NUMBER
CASE NUMBER
VEHICLE NUMBER
OCCUPANT NUMBER

72 082A VI

OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- M ENTIRE FORM
- [] Page Number (s)

U.S. Department of Transportation

OCCUPANT ASSESSMENT FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety
Administration

	OCCUPANT'S SEATING
1. Primary Sampling Unit Number	\sim
2. Case Number - Stratum <u>Q82A</u>	10. Occupant's Seat Position Front Seat
3. Vehicle Number	(11) Left side (12) Middle
4. Occupant Number	(13) Right side
OCCUPANT'S CHARACTERISTICS	(14) Other (specify):(15) On or in the lap of another occupant
5. Occupant's Age wedical Report 20 Code actual age at time of accident. (00) Less than one year old (specify by month); (97) 97 years and older (99) Unknown	Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant
6. Occupant's Sex (1) Male (2) Female (9) Unknown	Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant
7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown Qq inches X 2.54 = 175, 3 centimeters	Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant (97) In or on unenclosed area (98) Other seat (specify): (99) Unknown
8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown 130 pounds X .4536 = 58 9 kilograms	11. Occupant's Posture (0) Normal posture Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat
9. Occupant's Role (1) Driver (2) Passenger (9) Unknown	 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify): (9) Unknown

EJECTION/ENTRAPMENT						
12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown	Q:	15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown				
13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, (specify):	etc.)	16. Entrapment (NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.) (0) Not entrapped (1) Entrapped (9) Unknown				
14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Integral structure (8) Other medium (specify): (9) Unknown	<u></u>					

		RESTRAINT SYST	EIVI E	EVAL	JAHON	
17.	(O) (1) (2) (3)	ual (Active) Belt System Availability None available Belt removed/destroyed Shoulder belt Lap belt Lap and shoulder belt Belt available—type unknown		(Ò) N (1) A <i>Non-fi</i>	g System Availability/Function ot equipped/not available ir bag unctional ir bag disconnected (specify):	
	(6)	gral Belt Partially Destroyed Shoulder belt (lap belt destroyed/removed) Lap belt (shoulder belt destroyed/removed)			ir bag not reinstalled nknown	<u> </u>
٠	(8)	Other belt (specify):	22.	Air Ba	g System Deployment ot equipped/not available	
	(9)	Unknown		(1) A	ir bag deployed during accident (as a esuit of impact)	, ~
18.	(00)	None used, not available, or belt removed/destroyed Inoperative (specify):	*.	(3) A u (4) N	ir bag deployed inadvertently just rior to accident ir bag deployed, accident sequence ndetermined ondeployed	
	(03) (04) (05)	Shoulder belt Lap belt Lap and shoulder belt Belt used—type unknown Other belt used (specify):		(6) A e e	nknown if deployed ir bag deployed as a result of a noncollision vent during accident sequence (e.g., fire, explosion, electrical) Inknown	on
	(13) (14) (15) (18)	Shoulder belt used with child safety seat Lap belt used with child safety seat Lap and shoulder belt used with child safety seat Belt used with child safety seat—type unknown Other belt used with child safety seat (specify):	23.	Syste (0) N (1) N	here Indications of Air Bag m Failure? lot equipped/not available lo es (specify):	0
• •	(99)	Unknown if belt used		(9) Ū	Inknown	
19.	(0) (1)	per Use of Manual (Active) Belts None used or not available Belt used properly Belt used properly with child safety seat		Note:	See Variables 44 through 48 (Page 5) for Information on Automatic Belts	
	(3) (4) (5) (6)	Used Improperly Shoulder belt worn under arm Shoulder belt worn behind back or seat Belt worn around more than one person Lap belt worn on abdomen Lap belt or lap and shoulder belt used improperly with child safety seat (specify):	24.	(O) N (1) F (2) S (3) L (4) L	e Reported Restraint Use lone used Police did not indicate restraint use Shoulder belt ap belt ap and shoulder belt Belt used, type not specified	<u> </u>
	(8)	Other improper use of manual belt system (specify):		(6)	Child safety seat Other or automatic restraint (specify):	
	(9)	Unknown		(8) F (9) F	Restrained, type unknown Police indicated "unknown"	
20	Dur (0) (1)	nual (Active) Belt Failure Modes ing Accident No manual belt used No manual belt failure(s) Torn webbing (stretched webbing not included)				
	(4)	Broken buckle or latchplate Upper anchorage separated				
	(6)	Other anchorage separated (specify): Broken retractor Combination of above (specify):				
		Combination of above (specify): Other manual belt failure (specify):	1	•		
		Unknown	1			
I	101		1			

HEAD RESTRAINT A	AND SEAT EVALUATION
25. Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify):	27. Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify): (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion (specify):
26. Seat Type (this Occupant Position) (00) Occupant not seated or no seat (01) Bucket (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushions (07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Other seat type (specify):	(7) Combination of above (specify): (8) Other (specify): (9) Unknown
(10) Box mounted seat (i.e., van type) (99) Unknown	

	CHILD SAF	ETY SEAT
28.	Child Safety Seat Make/Model (000) No child safety seat	31, Child Sa
	Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat	32. Child Sa
	(997) Other make/model (specify): (998) Unknown make/model	33. Child Sa
	(999) Unknown if child safety seat used	Note: O Variable (OO) No
29.	Type of Child Safety Seat (0) No child safety seat (1) Infant seat	Not Des (01) At
	(2) Toddler seat(3) Convertible seat(4) Booster seat	(02) At (03) CI
	(7) Other type child safety seat (specify):	(09) Ui
	(8) Unknown child safety seat type (9) Unknown if child safety seat used	Designe (11) H: (12) H:
30.	Child Safety Seat Orientation (00) No child safety seat	(19) U Unknov
	Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing	(21) H (22) H (29) U
	(08) Other orientation (specify):	(99) U
	(09) Unknown orientation	
	Designed For Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing	
	(18) Other orientation (specify):	
	(19) Unknown orientation Unknown Design or Orientation For This	
	Age/Weight, or Unknown Age/Weight (21) Rear facing	
	(22) Forward facing (28) Other orientation (specify):	
	(29) Unknown orientation	
	(99) Unknown if child safety seat used	

- 31, Child Safety Seat Harness Usage
- 32. Child Safety Seat Shield Usage
- 33. Child Safety Seat Tether Usage

Note: Options below applicable to Variables OA31-OA33. (00) No child safety seat

Not Designed With Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used
- (99) Unknown if child safety seat used



	INJURY CONSEQUENCES:	38. Working Days Lost 99
34.	Injury Severity (Police Rating)	Code the number of days (up through 60) that the occupant
	(0) O - No injury	lost from work due to the accident (00) No working days lost
	(1) C - Possible injury	(61) 61 days or more
	(2) B - Nonincapacitating injury	(62) Fatally injured
	(3) A - Incapacitating injury	(97) Not working prior to accident
	(4) K - Killed	(99) Unknown
	(5) U - Injury, severity unknown	(66)
	(6) Died prior to accident	
	(9) Unknown	STOP - GO TO VARIABLE 44 ON PAGE 7
	21	MARIARIZO DO TUDOUCH 42 APE
٥.	T Marralian	VARIABLES 39 THROUGH 43 ARE COMPLETED BY THE ZONE CENTER
35.	Treatment - Mortality	COMPLETED BY THE TOME CENTER
	(0) No treatment (1) Fatal	
	(2) Fatal - ruled disease (specify):	39. Time to Death
	(2) Tatal - Tuled disease (specify).	Code number of hours from time of
		accident to time of death up through 24
	Nonfatal	hours. If time of death is greater than 24
	(3) Hospitalization	hours, code number of days. (Note: 1 day =
	(4) Transported and released	$31, 2 \text{ days} = 32, \dots \text{ n days} = 30 + \text{n up}$
	(5) Treatment at scene - nontransported	through 30 days $= 60$)
	(6) Treatment later	(00) Not fatal
	(8) Treatment - other (specify):	(96) Fatal - ruled disease
		(99) Unknown
	(9) Unknown	
	/	40. 1st Medically Reported Cause of DeathO
36.	Type Of Medical Facility (for Initial Treatment)	10 (But 0 0
	(0) Not treated at a medical facility	41. 2nd Medically Reported Cause of Death 🔼 🗢
	(1) Trauma center	40. 2 d Mardingthy Deported Cause of Death
	(2) Hospital (3) Medical clinic	42. 3rd Medically Reported Cause of Death Code the Occupant Injury from line
	(4) Physician's office	number(s) for the medically reported
	(5) Treatment later at medical facility	injury(s) which reportedly contributed to
	(8) Other (specify):	this occupant's death
		(00) Not fatal or no additional causes
	(9) Unknown	(96) Mode of death given but specific
		injuries are not linked to cause
	\sim	of death. (specify):
37.	Hospital Stay	
	(00) Not Hospitalized	(97) Other result (includes fatal ruled
	Code the number of days (up through 60)	disease) (specify):
	that the occupant stayed in hospital.	100
	(61) 61 days or more	(99) Unknown
	(99) Unknown	
		43. Number of Recorded Injuries for
		This Occupant
		6 Code the actual number of
		injuries recorded for this occupant.
		(00) No recorded injuries
		(97) Injured, details unknown
		(99) Unknown if injured

	AUTOMATIC BELT SYSTEM		ΛΩ	Automatic (Passive) Belt Failure Modes
44.	Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown	Q	40.	During Accident (O) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):
	Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown	A		(6) Broken retractor(7) Combination of above (specify):(8) Other automatic belt failure (specify):(9) Unknown
45.	Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown	Q	49.	Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat (1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify):
46.	Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown	Ų		
47.	Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): (8) Other improper use of automatic belt syste (specify): (9) Unknown			Check the Primary Source Used In Determining Belt Use. [] Not equipped/not available/destroyed or rendered inoperative [] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify): [] Unknown if belt used
	ARE ALL APPLICABLE MEDICAL R WITH INITIAL SUBMISSION?	ECO	RDS	INCLUDED NO[] YES[]
	UPDATE CANDIDA	TE?		NO[] YES[

STOP - VARIABLES 50 THROUGH 53 ARE	BELT USE DETERMINATION
COMPLETED BY THE ZONE CENTER	53. Primary Source of Belt Use Determination
	(0) Not equipped/not available/destroyed or rendered inoperative
TRAUMA DATA	(1) Vehicle inspection
50. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	(2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used
51. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	
52. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of theHCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	

Administration

U.S. Department of Transportation National Highway Traffic Safety

OCCUPANT INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

2

3. Vehicle Number

2. Case Number - Stratum

HS Form 433B (1/94)

4. Occupant Number


INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure		90 Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ e Indirect Injury	Occupant Area Intrusion Number
1st	5. 2	6. <u>\$</u>	7. <u>4</u>	8. <u>/ 8</u>	9. 20	10. 2	11. /	12. <u>4</u> 0	13. 2	14. 1	15. <u>0 4</u>
2nd	16. <u>Z</u>	17. 5	18. 4	19. <u>4</u> Z	20. <u>2</u> <u>u</u> .	21. 2	22. 2	23. 4 0	24. 2	25	26. <u>0 4</u>
3rd	272	288	29. 4	30. 0 2	31. 02	32. 1	33. <u>2</u>	34. 4 0	35. <u> </u>	36	37. <u>0 4</u>
4th	38. <u>7</u>	39 . <u>9</u>	40. 9	41. <u>0 b</u>	42. <u>6</u> 0	43/	44. <u>9</u>	45. <u>9</u> 7	46. <u>9</u>	47	48. <u>9</u> 9
5th	49. 7	50. <u>4</u>	51. <u>9</u>	52. <u>0 4</u>	53. <u>0</u> <u>0</u>	54. <u>/</u>	55. <u>9</u>	56. <u>9</u> <u>7</u>	57. <u>9</u>	58. <u>7</u>	59. <u>9</u> <u>9</u>
6th	607	61. 4	62. <u>9</u>	63. <u>0 4</u>	64. 0 2	65. <u>/</u>	66. 2	67. <u>4 0</u>	68. 2	69. <u>/</u>	70. <u>0 4</u>
7th	71	72	73	74	75	76	77	78	79	80	81
8th	82	83	84	85	86	87	88	89	90	91	92
9th	93	94	95	96	97	98	99	100	101	102	103
10th	104	105	106 1	07	108	109	110	111	112	113	114

	•			OCC	JPANT I	NJURY	DATA				
	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S 90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
11th					<u></u>						
12th			_					:		1 2.00 12.00 10.0	
13th									e e e e e e e e e e e e e e e e e e e		
14th	_						· ·	· <u> </u>		· ·	
. 15th	_					t de la s alan a de	al de la composition de la composition La composition de la	· . · 	en e	y s jerne	
16th		_	_				ger sty <u>een</u> in the	ese land e e	n na sanan na sanan Na sanan na	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
17th							a e		i galadini iz Magina, mal Magina <u>li</u>	i Mari	
18th		-	,	. <u></u>	e e e e e e e e e e e e e e e e e e e	· · · · · · · · · · · · · · · · · · ·	isi li.				
19th	-	· 	· <u></u>	· 	·····································	· .	t de Service Service Service				
20th		-	_								
21st					in the second of		og sk all et Søret i De) 	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
.22nd			<u> </u>			en en en				e en aller	
23rd			, - 								
-24th											
25th				***************************************						_	

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA OFFICIAL

- (1) Autopsy records with or without hospital/ medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- Other source (specify):
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18)Windshield reinforced by exterior object (specify):
- (19) Other front object (specify):

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify):

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify):
- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- Right side hardware or armrest
- Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify):
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify):
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar or door frame attachment point
- Other restraint system component (specify):
- Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)
- (46) Other occupants (specify):
- (47) Interior loose objects
- (48) Child safety seat (specify):
- (49) Other interior object (specify):

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

(60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify):

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- Outside hardware (e.g., outside mirror, antenna)
- Other exterior surface or tires (specify):
- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify):
- (73) Hood
- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar
- (76) Side surface
- (77) Side mirrors
- (78) Other side protrusions (specify)
- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- Other exterior of other motor vehicle (82) (specify):
- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE **ENVIRONMENT**

- (84) Ground
- (85) Other vehicle or object (specify)
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- Other noncontact injury source (92)(specify):
- Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- Certain
- Probable
- Possible Unknown

DIRECT/INDIRECT INJURY

- Direct contact injury
- Indirect contact injury (2) Noncontact injury
- Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- Head
- (2) Face
- (3) Neck Thorax
- (5) Abdomen
- (6) Spine Upper Extremity (7)
- **Lower Extremity**
- Unspecified

Type of Anatomic Structure

- Whole Area
- Vessels (2)
- (3)Nerves
- (4) Organs (includes muscles/ ligaments)
- (5) Skeletal (includes joints)
- Head LOC Skin
- (9)

Specific Anatomic Structure

- Whole Area (02) Skin Abrasion (04) Skin - Contusion
- (06) Skin - Laceration Skin - Avulsion
- Amputation (20) Burn

(10)

- (30) Crush
- (40) Degloving
- (EO) Injury - NFS (90)Trauma, other than mechanical

- Head LOC (02) Length of LOC
- (04, 06, 08) Level of Consciousness

- Spine (02) Cervical (04) Thoracic ***mbar
- Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- Moderate injury
- (3) Serious injury (4)
- Severe injury (5) Critical injury
- Maximum (untreatable) (7) Injured, unknown severity

Aspect

- Right
- (2) Left
- (3) **Bilateral** Central
- (5) **Anterior**
- (6) Posterior (7) Superior
- (8) Interior
- (9) Unknown
- (0) Whole region

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are ·unavailable.)


Blood Alcohol Level (mg/dl)

Glasgow Coma Scale Score

Units of Blood Given


Arterial Blood Gases





OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





CRASHPC PROGRAM SUMMARY

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety Administration	(All Measureme	ents In Metric)	CRASHWORTHINESS DATA S	
Identifying Title Primary Sampling Unit Case No		ocident Event equence No.	Date (Month, day, year) of Run	
CRASHPC Vehicle Identification /			111-111 M	
Vehicle 1 1994	_ FORD	M	USTANG O	_
Vehicle 2	GAE	- 13 AR	RLED -	
Year	Make Make	, , , , , , , , , , , , , , , , , , , ,	Model NASS Veh. N	lo.
	GENERAL IN	FORMATION		
VEHICLE I	7		VEHICLE 2	11
Size	$\underline{\mathcal{U}}$	Size	- 201	
Weight	600.	Weight	L DARKIEN	2
$\frac{1380 + 200 + 0}{\text{Curb}} + \frac{1380 + 200}{\text{Occupant(s)}} = \frac{1}{1200}$	<u> </u>	Curb Ocupant	s Cargo	1.B
cdc 12 F	DEW6	CDC		
PDOF (-180 to +180)	<u> </u>	PDOF (-180 to +	· 180)	_ °
Stiffness	7	Stiffness	-	
	SCENE INE	ORMATION		
		a 11 mary and neurolating readon states and 1975 Head		
Rest and Impact Positions [] N VEHICLE 1	to, Go To Damage mile	imaton to 1 163	VEHICLE 2	
Rest X	. m	Rest	Χ .	m
Rest XY	· · m	Position	Υ	m
PSI	0		PSI	0
		l	Χ .	m
Impact X Y	m	Impact Position	^	— ''' m
PSI	m		PSI	_ 。
Slip Angle(-180 to +180)	0	Slip Angle (-180		_ 0
Ship / triglet 100 to 1 / 00/	VEHICLE	MOTION		
Sustained Contact [] No [
VEHICLE 1			VEHICLE 2	
Vehicle Rotation	[]No []Yes	Vehicle Rotation	[] No []	Yes
Rotation Stop Before Rest			p Before Rest [] No []	
End of Rotation X	m	End of Rotat Position	ion X	_ m
Position Y	m	rosition	Υ	_ m
PSI	o		PSI	0
Curved Path	I] No I] Yes	Curved Path	[] No []	Yes
Point on Path		Point on Pat	h ·	
X m Y	m	x	_ · _ m Y · -	m
Rotation Direction [] None [Rotation > 360° [] No [] CW [] CCW		on []None []CW []C 0° []No []Yes	CW

FRICTION INFORMATION	TRAJECTO	RY INFORMATION	``
Coefficient of Friction .	Trajectory Data [JNo []Yes	
Rolling Resistance Option	If No, Go To Damage	e Information	
	Vehicle 1 Steer Angl	es	
Vehicle 1 Rolling Resistance			0
LF RF	LR	° RF	_ _ _
LR RR			
	Vehicle 2 Steer Angl		
Vehicle 2 Rolling Resistance	LF	° RF	- 0
LF RF	LR	° RR	- 0
LR RR	Terrain Boundary I	l No [] Yes	
	First Point		
	X n	n Y	_ m
	Second Point		
	X m	Y	_ m
	Secondary Coefficier	nt of Friction	
DAMAGE IN	FORMATION		
VEHICLE 1			
VEHICLE 1	V	/EHICLE 2	
Damage Length L / 6 0 cm	۷ Damage Length	'EHICLE 2	cm
Damage Length L / 6 O cm	Damage Length	L J	cm)m
Damage Length L / O cm Crush Depths C, O 7 O cm		C ₁	cm m cm
Damage Length L \mathcal{L} \mathcal{O}_{cm} Crush Depths C_1 \mathcal{O}_{2} \mathcal{O}_{2} cm C_2 \mathcal{O}_{2} cm	Damage Length		cm m cm cm
Damage Length L \mathcal{L} \mathcal{O}_{cm} Crush Depths C_1 \mathcal{O}_{cm} C_2 \mathcal{O}_{cm} cm C_2 \mathcal{O}_{cm} cm	Damage Length	C,	cm m cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length	C, C	
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length	C ₁ C ₂ C ₃ C ₄ C ₆	cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths	C, C ₂ C ₃ C ₄ C ₆ C ₇ C ₈	cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ C ₆	cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ C ₆	cm cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths Damage Offset	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ C -	cm cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths Damage Offset	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ D ± L IN THE INFORMATION BELOV	cm cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths Damage Offset	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ D ± D = Data and Damage Informat	cm cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths Damage Offset NOT IN TRANSPORT, FILE The Weight, CDC, Scer	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ D ± D = Data and Damage Informat	cm cm cm
Damage Length $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Damage Length Crush Depths Damage Offset NOT IN TRANSPORT, FILE The Weight, CDC, Scer	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ D ± D = Data and Damage Informat	cm cm cm
Damage Length L ✓ Ø O cm Crush Depths C₁ Ø ₹ Ø cm C₂ 1 ₹ Ø cm Cm C₃ ✓ Ø cm Cm Cm C₆ ✓ Ø ₹ Cm Cm D = Ø Ø Ø Cm Cm Cm Cm IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE Model Year: Make: Model: Model: Model: Model:	Damage Length Crush Depths Damage Offset NOT IN TRANSPORT, FILE The Weight, CDC, Scer	C ₁ C ₂ C ₃ C ₄ C ₆ C ₆ D ± D = Data and Damage Informat	cm cm cm

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE


	(DAMAGE)	
VEHICLE #1		
TOTAL	92 KPH (57 MPH)	
LONGITUDINAL	-92 KPH (-57 MPH)	
LATITUDINAL	0 KPH (0 MPH)	
PDOF ANGLE	0 DEGREES	
ENERGY DISSIPATED	= 518377 JOULES (382284	FT-LB)
VEHICLE #2		
	0 KPH (0 MPH)	
TOTAL		
LONGITUDINAL	0 KPH (0 MPH)	
LATITUDINAL	0 KPH (0 MPH)	
PDOF ANGLE	0 DEGREES	
ENERGY DISSIPATED	= 0 JOULES (0	FT-LB)

DAMAGE DATA

	VEHICLE #1	VEHICLE #2
SIZE CATEGORY STIFFNESS CATEGORY	2	11 0
VEHICLE WEIGHT	1588 KGS (3501 LBS) 12FDEW6	***** KGS (2204586 LBS) * BARRIER
CDC PDOF ANGLE	0 DEGREES	0 DEGREES *
CRUSH LENGTH	160 CM. (63 IN.) 70 CM. (28 IN.)	0 CM. (0 IN.) * 0 CM. (0 IN.) *
C2 C3	122 CM. (48 IN.) 136 CM. (54 IN.)	0 CM. (0 IN.) * 0 CM. (0 IN.) *
C4	141 CM. (56 IN.)	0 CM. (0 IN.) * 0 CM. (0 IN.) *
C5 C6	149 CM. (59 IN.) 143 CM. (56 IN.)	0 CM. (0 IN.) *
D D'	0 CM. (0 IN.) 6 CM. (2 IN.)	0 CM. (0 IN.) * 0 CM. (0 IN.) *
		(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2		
CG TO FRONT AXLE CG TO REAR AXLE TRACK	118 CM. (46 IN.) 127 CM. (50 IN.) 139 CM. (55 IN.)	127 CM. (50 IN.) 127 CM. (50 IN.) 127 CM. (50 IN.)		
CG TO FRONT OF VEH CG TO REAR OF VEH CG TO SIDE OF VEH MOMENT OF INERTIA	212 CM. (83 IN.) -233 CM. (-92 IN.) 85 CM. (34 IN.) 12185 KGS (26862 LBS)	127 CM. (50 IN.) -127 CM. (-50 IN.) 127 CM. (50 IN.) ***** KGS (***** LBS)		
VEHICLE MASS	4 KGS (9 LBS)	2600 KGS (5732 LBS)		



Final

```
72082A00000011
                 947.0300000000000102210000004
                                                               94001837000
002000000003674
72082A00010012
                 947.0310000000000102F58000
              347.031000000000102F56000
72082A00020012
72082A00030012
                 947.0310000000000102R58000
                 547.0310000000000102F68000
72082A00040012
                   7.03 0000000009412003021FALP4042RF
72082A01000021
390000100009989981092-092 0005184411
                   72082A01000022
72082A01000031
                   7.03 000000000046812FDEW05015899999999160070122136141149143
                           11257000101030201001000
000
                   7.03 0000000001193000000096666680900000009222220092211100
72082A01000041
                   7.03 0000000001305621205621105521319421304321203321117311217
72082A01000042
311317312217312
                         0203999111
                   7.03 0000000001811690571119000014000011173027000000000000411
72082A01010051
00620199000013000001021011
72082A01010161
                   7.03 000000000185181831091197
72082A01010261
                   7.03 000000000185182231091197
72082A01010361
                   7.03 000000000185180032091197
                   7.03 000000000129020210452100
72082A01010461
                   7.03 000000000129060217453100
72082A01010561
                   7.03 000000000129720219452100
72082A01010661
                   7.03 000000000149020211062197
72082A01010761
                   7.03 000000000149040211062197
72082A01010861
                   7.03 000000000169020211402100
72082A01010961
                   7.03 000000000179020212093197
72082A01011061
                   7.03 000000000179060211092197
72082A01011161
                   7.03 000000000189020213091197
72082A01011261
                   7.03 000000000189060211091197
72082A01011361
                   7.03 0000000001721770782139000014000011173027000000000000411
72082A01020051
00620199000012000001021011
                   7.03 000000000115040029113105
72082A01020161
                   7.03 000000000145021019113105
72082A01020261
                   7.03 000000000175260022112105
72082A01020361
                   7.03 000000000185260029111105
72082A01020461
                   7.03 000000000185340421111105
72082A01020561
72082A01020661
                   7.03 000000000129020211452100
72082A01020761
                   7.03 000000000129020212452100
                   7.03 000000000129020218452100
72082A01020861
72082A01020961
                   7.03 000000000179020213112105
                   7.03 000000000179060212112105
72082A01021061
                   7.03 0000000000189020213111105
72082A01021161
                   7.03 000000000189060212111105
72082A01021261
                   7.03 0000000000010640122219000004000000000051000000000000331
72082A01030051
07970000000097000001979971
72082A01040051
                   7.03 00000000201175059223900000400000000051000000000000331
07990000000006000001021011
                   7.03 000000000254182021402104
72082A01040161
                   7.03 000000000254422022402104
72082A01040261
                   7.03 000000000289020212401104
72082A01040361
                   7.03 000000000799060019979799
72082A01040461
                   7.03 000000000799040019979799
72082A01040561
                   7.03 000000000749040212402104
72082A01040661
00000000000000
```

PSU72 ERROR SUMMARY SCREEN



CASE 082A

CURRENT VERSION: 7.03

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	o	N ·
General Vehicle	0	0	0	N
Vehicle Exterior	O	0	0	N
Vehicle Interior	O	0	O	N
Occupant Assesment	Q	0	O	N
Occupant Interior	O	О	0	N
Total Inter Errors		0	O =	
Total Case Errors	o	0	0	

SLIDE INDEX

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

			CHASHWORTHINESS DATA SYST
Primary	Samplin	ng Unit Numl	ber - 72 Case Number Stratum Q82A
Slide No.	Vehicle No.	Direction of View	Description of Slide Subject Matter
1-5	V1		Approach Views
4-20	V1		Scene Evidence TRACK, IN GRASS, STRUCK WALL, STRUCK CONCrete Sign
21-25			Look Back Views
26-38	V1	EXTERIOR	Front Views
39-40	V1	·	Front Left 45°
39-49	V1		Left Side
48-49	V1		Back Left 45°
50- 56	V1		Back Views
57-58	V1		Back Right 45°
57-62	V1		Right Side
62	V1		Right Front 45°
63-64	V1	:	Top Views fuel tombe & Fuel billes
65-67	V1	INTERIOR	In Left Front Door
68	V1	·	Steering Column Views
69-70	V1		Seat Area 11
66-70	V1		Contact Points
71	V1	e	Seat Area 12
71	V1		Contact Points
72-75	V1		Seat Area 13
72-75	 		Contact Points
73-15	V1		In Right Front Door
76	V1		In Left Rear Door
76-78	V1		Seat Area 21, 22, 23
78	V1		In Right Rear Door



















ZM (1994) #







PSU 72-082A (1994) #12











W (1004) H11



















PSU 72-082A (1994) #26 Best Available



PSU 72-082A (1994) #27 Best Available



Best Available



PSU 72-082A (1994) #29 Best Available





railable





PSU 72-082A (1994) #33 Best Available



72-062A (1994) #3 Best Available



PSU 72-082A (1994) #35 Best Available





PSU 72-082A (1994) #37 Best Available





ZA (1994) 935 Available



PSU 72-082A (1994) #40 Best Available



PSU 72-082A (1994) #41 Best Available



PSU 72-082A (1994) #42 Best Available





vailable





Best Available





PSU 72-082A (1994) #48 Best Available



PSU 72-082A (1994) #49 Best Available



PSU 72-082A (1994) #5



Best Available







PSU 72-082A (1994) #



Available



Paet Available



PSU 72-082A (1994) #57 Best Available





PSU 72-082A (1994) #59 Best Available



PSU 72-082A (1994) #60 Best Available



PSU 72-082A (1994) #61 Rest Available



PSU 72-082A (1994) #62 Best Available





PSU 72-082A (1994) #64 Best Available





PSU 72-082A (1994) #66



4 (1004) 10



PSU 72-082



W (1884) 40





A (1994) #71







2A (1994) #74







